



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
UX-XFT133 ARIANNA	UNOX electric CONVECTION OVEN - MISS line, for GASTRONOMY and PASTRY, capacity 4 mm trays. 460x330, version with MANUAL CONTROLS and HUMIDIFIER, V. 230/1, Kw. 3.00, weight 31 kg, dim. mm. 600X655X509h	Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

UNOX Electric CONVECTION OVEN - MISS line for GASTRONOMY and PASTRY, version with MANUAL CONTROLS and HUMIDIFIER:

- high resistance **304 stainless steel chamber** with rounded edges for maximum hygiene and cleanliness;
- **capacity 4 460x330 mm trays** , 75 mm pitch;
- **dry PLUS technology** for rapid removal of humidity in the cooking chamber;
- **double glass door** equipped with **Protek SAFE system** which guarantees the minimum temperature outside;
- door opening from top to bottom with hinges tested for over 60,000 openings;
- **lighting in the cooking chamber** ;
- knobs recessed into the dashboard to protect them from impacts;
- **adjustable temperature from 30° C to 260° C** ;
- **steam maxi technology** with manual introduction of humidity into the cooking chamber;
- **1 fan in the cooking chamber** with rotation in one direction only.

Supplied:

- N°4 flat aluminum trays measuring 460x330 mm (Cod. UX-TG305)

CE mark
Made in Italy

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50

motor power capacity (Kw)

3,00

net weight (Kg)

31

breadth (mm)

600

depth (mm)

655

height (mm)

509

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

UX-TG305



UXTG305

TECHNOCHEF - flat ALUMINUM TRAY, Mod.TG305

Flat ALUMINUM TRAY, mm 460x330x15H -- Indicated unit price, purchasable in packs of 2

Delivery from 4 to 9 days

UX-GRP305



UXGRP305

Chromed GRILLE

Chromed GRID, mm 470x330

Delivery from 4 to 9 days

UX-TG310



UXTG310

TECHNOCHEF - Flat TRAY in PERFORATED ALUMINUM, Mod.TG310

Flat PERFORATED ALUMINUM TRAY, mm 460x330x15H -
- Indicated unit price, purchasable in packs of 2

Delivery from 4 to 9 days

UX-TG330



UXTG330

TECHNOCHEF - Flat TRAY in ALUMINUM PERFORATED and TEFLON COATED, Mod.TG330

Flat PERFORATED and TEFLON-COATED ALUMINUM TRAY, mm 460x330x15H -- Indicated unit price, purchasable in packs of 2

Delivery from 4 to 9 days

UX-XC620



UXXC620

SIDE SUPPORT ADAPTATION kit

Kit for ADAPTING SIDE SUPPORTS from mm. 460x330 with GN 2/3

Delivery from 4 to 9 days

UX-TG335



UXTG335

FAKIRO Aluminum PLATE

FAKIRO Aluminum PLATE, mm 460x350x16H

Delivery from 4 to 9 days

UX-XR623



UXXR621

4 WHEEL KIT, 2 of which with brake, mod. XR621

Kit 4 wheels, 2 of which with 105 mm diameter brake

Delivery from 4 to 9 days

UX-XC114



UXXC114

STEAM CONDENSER

STEAM CONDENSER, V.230 / 1, W. 8, external dimensions mm. 340x235x170h

Delivery from 4 to 9 days

UX-XLT133



Delivery from 4 to 9 days

UNOX - Proofing cabinet for ovens with capacity for 8 460x330 mm trays, MANUAL CONTROLS
PROOFER for OVENS Mod. XFT130 - XFT133 - XFT110 - XFT113 - XFT023 - /1, Kw 1.2, External Dimensions, mm 600x657x757H



Elevata qualità di cottura




Cerniere testate




Colonnine porta in tecnopolimeri



Manopole incassate



Motore di grande prestazione e durata



Doppio vetro con sistema Protek Safe