



CODE	DESCRIPTION	PRICE/DELIVERY
<b>ML-TOP7</b>	Display cabinet for creamed ice cream, MONDIAL FRAMEC, capacity 293 liters, temperature -15 ° / -20 ° C, STATIC FINNED PARCEL evaporator, V. 230/1, Kw 0.48, Weight 99 Kg, dim.mm.1350x673x1175h	<b>Delivery</b> from 8 to 15 days

#### PROFESSIONAL DESCRIPTION

**Display cabinet for creamed ice cream, MONDIAL FRAMEC, capacity 293 liters, temperature -15 ° / -20 ° C:**

- **cabinet in anti-corrosion treated white steel sheet metal ;**
- tank in white non-toxic prepainted sheet;
- **upper structure with flat glass and flap ;**
- **static evaporator with finned pack** (with defrost resistor) + coil foamed in the walls;
- **adjustable temperature from -15 ° to -20 ° C ;**
- **electronic thermostat-thermometer** with automatic defrost;
- fluorescent **interior light** with switch;
- reserve compartment with self-closing door;
- 4 pivoting wheels;
- **trays not included ;**
- **tray quantities :**
  - **in the display compartment :** 7x5 liters (or 14x2.5 liters Optional);
  - **in the reserve compartment :** 12x5 liters or 24x2.5 liters;
- refrigerant gas: R507 / R290;
- climate class: 3 (25 ° C-60% RH) L1;
- **net volume :** 238 lt;
- **gross volume :** 293 lt;
- **consumption :** 10.5 kWh / 24h.

#### **Environmental operating conditions :**






- Ambient temperature Max 26 ° C.
- Relative humidity 60%

**CE marking**  
**Made in Italy**

# TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,48
<b>net weight (Kg)</b>	99
<b>gross weight (Kg)</b>	119
<b>breadth (mm)</b>	1350
<b>depth (mm)</b>	673
<b>height (mm)</b>	1175

# TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>ML-2611009</b> 	<b>2.5 liter stainless steel bowl</b> 2.5 liter stainless steel bowl (180 x 165 x 120mm)	<b>Delivery</b> from 4 to 9 days
<b>ML-2511001</b> 	<b>5 liter stainless steel bowl</b> 5 liter stainless steel tray (360 x 165 x 120mm)	<b>Delivery</b> from 4 to 9 days
<b>ML-8998621F</b> 	<b>Kit 4 pivoting wheels (2 with brake)</b> Kit 4 pivoting wheels (2 with brake)	<b>Delivery</b> from 4 to 9 days
<b>ML-2222017762000</b> 	<b>Raising kit for trays</b> Raising kit for trays for Mod. TOP 7	<b>Delivery</b> from 4 to 9 days
<b>ML-2222024671000</b> 	<b>Inox sprayer kit</b> Inox sprayer kit	<b>Delivery</b> from 4 to 9 days



TOP 6



TOP 7

**Q.TÀ VASCHETTE NEL VANO ESPOSIZIONE**  
Numbers of bins in the display area

6x5 l. (6+6 optional)

7x5 l. (7+7 optional)

**Q.TÀ VASCHETTE NEL VANO RISERVA**  
Numbers of bins in the storage compartment

18x2,5 l. - 8 x 5 l.

24x2,5 l. - 12 x 5 l.

**DISPOSIZIONE VASCHETTE**  
Container layout



5 l.



5 l.



2,5 l.



2,5 l.

Vaschette non fornite - Bins not included