



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



| CODE | DESCRIPTION | PRICE/DELIVERY |
|--------------------------|--|-----------------------------------|
| FO-G-GN600FISH | Refrigerator 1 door, Professional, capacity 507 lt, Temperature -5 ° / + 2 ° C, Static refrigeration, ECOLOGICAL in Class D, Gas R290, including 6 boxes mm 600x400x130h, V.230 / 1, Kw.0, 51, Weight 145 Kg, dim.mm.680x810x2010h | Delivery from 8 to 15 days |
| PROFESSIONAL DESCRIPTION | | |

1 DOOR REFRIGERATOR CABINET for FRESH FISH, capacity lt. 507, temperature -5 ° / + 2 ° C, ECOLOGICAL in Class D :

- **made of AISI 304 stainless steel ;**
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **suitable for containing Gastro-Norm 2/1 grids or trays** (650x530 mm);
- capacity 507 liters;
- **static refrigeration with fan and internal air conveyor to uniform the temperature ;**
- group incorporated in the upper compartment;
- engine compartment with insulated sides;
- **electronic temperature control with digital thermostat ;**
- operating temperature -5 ° / + 2 ° C;
- electrical resistance around the door frame to eliminate condensation;
- elimination of condensation water through a basin;
- **ECOLOGICAL gas R290 ;**
- **maximum ambient temperature : + 32 ° C;**
- **maximum ambient humidity : 55% HR;**
- **manual defrost ;**
- **insulation thickness 60 mm ;**
- **door with return spring and reversible ;**
- **door closing with key ;**
- door gasket removable without tools;
- **feet in AISI 304 stainless steel, adjustable in height .**

Included :

- 6 boxes of mm.600x400x130h



Optional / Accessories :

- pair of guides for grille support - Cod.FOCG21
- Gastro-Norm 2/1 plastic coated grid - Code FOGRP21
- kit of supports and 9 pairs of guides for 600x400 mm trays - Code FO-P60
- 4 wheels kit 120 mm diameter, 2 of which with brake - Code FORUO120

CE mark**Made in ASIA****TECHNICAL CARD**

| | |
|----------------------------------|----------|
| power supply | Monofase |
| Volts | V 230/1 |
| frequency (Hz) | 50 |
| motor power capacity (Kw) | 0,51 |
| net weight (Kg) | 145 |
| gross weight (Kg) | 165 |
| breadth (mm) | 680 |
| depth (mm) | 810 |
| height (mm) | 2010 |

TECHNICAL CARD

| CODE/PICTURES | DESCRIPTION | PRICE/DELIVERY |
|---|--|----------------------------------|
| FOGRP21  | Plasticized grid GN 2/1 Plastic grill Gastro-norm 2/1, (cm 53x65) | Delivery from 4 to 9 days |
| FOCG21  | Pair of stainless steel guides Pair of stainless steel guides for plasticized grid | Delivery from 4 to 9 days |

FO-RU0120**Forcar - 4 wheels kit, 2 with brake**

4 wheels kit with 120 mm diameter, 2 of which with brake.

Delivery from 4 to 9 days

FO-P60**PROFESSIONAL Fridge / freezer cabinets Inox - BASIC line**

Support kit and 9 pairs of runners for trays of mm.600x400

Delivery from 4 to 9 days

