



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-GN2100TN	Table Refrigerated counter 2 DOORS and neutral drawer, Professional, temp. -2°+8°C, capacity 282 litres, ventilated refrigeration, Gastronorm 1/1, ECOLOGICAL in Class B, Gas R290, V.230/1, Kw.0.26, Weight 98 Kg, dim.mm.1360x700x860h	<b>Delivery</b> from 4 to 9 days
PROFESSIONAL DESCRIPTION		

**REFRIGERATED TABLE with 2 DOORS and NEUTRAL DRAWER , capacity 282 litres , temperature -2°C /+8°C, ECOLOGICAL in Class B :**

- **AISI 304 stainless steel structure ;**
- bottom with rounded corners;
- **stainless steel backrest** , possibility of leaning against the wall;
- **ventilated refrigeration ;**
- **compartments suitable for inserting Gastro-Norm 1/1 grills** or trays (530x325 mm);
- capacity 282 litres;
- **built-in refrigeration unit removable** for easy maintenance;
- **circular flow of the cold air** so as not to directly touch the product;
- operating temperature -2°/+8°C;
- **electronic temperature control with digital thermostat ;**
- electrical resistance around the door frame for elimination of condensation;
- **automatic defrost** with electric resistance and **automatic temperature control defrost temperature ;**
- **automatic evaporation of condensation water ;**
- anti-corrosion treated evaporator;
- **ECOLOGICAL Refrigerating Group with R290 Gas ;**
- **Energy class B ;**
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;
- **insulation thickness 60 mm ;**
- door with return spring;
- door seal removable without tools;
- **feet in AISI 304 stainless steel, adjustable in height;**
- internal dimensions 902x530x589h mm;
- external dimensions 1360x700x860h mm.

**Supplied:**

- n.2 Gastronorm 1/1 grills
- n.4 guides

**Options/Accessories :**

- chest of drawers with 2 drawers with fully extractable stainless steel telescopic guides - Cod.FOC12;
- chest of drawers with 3 drawers with fully extractable stainless steel telescopic guides - Cod.FOC13;
- pair of guides for supporting grids - Cod.FOCG11;
- Gastronorm 1/1 plasticized grill - Code FOGRP11;
- kit of 4 wheels with a diameter of 120 mm, two of which with brake - Code FORUO120;
- rear splashback on the top - Code FOALZ2100.

**NOTE:**

*IT IS RECOMMENDED TO INSTALL ONLY THE CHEST OF DRAWERS WITH 2 DRAWERS IN THE COMPARTMENT NEAR THE REFRIGERATING UNIT , so as not to obstruct the circulation of the cold.*

**CE MARK  
MADE IN ASIA**

TECHNICAL CARD		
	<b>power supply</b>	Monofase
	<b>Volts</b>	V 230/1
	<b>frequency (Hz)</b>	50
	<b>motor power capacity (Kw)</b>	0,26
	<b>net weight (Kg)</b>	98
	<b>gross weight (Kg)</b>	121
	<b>breadth (mm)</b>	1360
	<b>depth (mm)</b>	700
	<b>height (mm)</b>	860
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY

**FOGRP11**

**GN 1/1 plasticized grid**  
Gastronorm 1/1 plasticized grid

**Delivery** from 4 to 9 days

**FOCG11**

**Pair of guides for GN 1/1 grid support**  
Pair of guides for GN 1/1 grid support

**Delivery** from 4 to 9 days

**FOALZ2100**


**Back splash**  
Back splash on the top for mod. GN2100

**Delivery** from 8 to 15 days

**FO-RUO120**


**Forcar - 4 wheels kit, 2 with brake**  
4 wheels kit with 120 mm diameter, 2 of which with brake.

**Delivery** from 4 to 9 days

**FOC12**

**Chest of drawers with 2 drawers**  
Chest of drawers with 2 drawers with fully extractable telescopic guides in stainless steel for mod. TN

**Delivery** from 4 to 9 days

**FOC13**

**Chest of drawers with 3 drawers**  
Chest of drawers with 3 drawers with fully extractable telescopic guides in stainless steel for mod. TN

**Delivery** from 4 to 9 days



Cassetto neutro  
sopra vano tecnico


TECHNO CHEF.IT



Optional  
Alzatina posteriore sul piano

TECHNO CHEF.IT



**ENERG**  
енергия · енергія

Y

IA

IE

IA

**FORCAR**  
**REFRIGERATION G-GN2100TN**

A+++

A++

A+

A

B

C

D

E

F

G


**B**


ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ


ENERGIA · ENERGY · ENERGIE

ENERGI

**628**  
kWh/annum

  
**190 L**

  
- L

  
**5**  
40°C-40%

2015/1094-IV

TECHNOCHEF.IT