



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
UX-XFT193ROSSELLA	UNOX electric CONVECTION OVEN - MISS line, for GASTRONOMY and PASTRY, capacity 4 TRAYS measuring 600x400 mm, version with MANUAL CONTROLS and HUMIDIFIER, V. 230/1 - 400/3+N, Kw. 6.5, weight 49 kg, dim.mm.800x774x509h	Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

UNOX Electric CONVECTION OVEN - MISS line for GASTRONOMY and PASTRY, version with MANUAL CONTROLS and HUMIDIFIER :








- high resistance **304 stainless steel chamber** with rounded edges for maximum hygiene and cleaning;
- **capacity 4 gastro-norm 1/1 trays** (530x325 mm) **with adapter** or **4 pastry trays** (600x400 mm), 75 mm pitch;
- **DRY PLUS technology** for rapid removal of humidity in the cooking chamber
- **double glass door** equipped with **Protek SAFE system** which guarantees the minimum temperature outside;
- door opening from top to bottom with hinges tested for over 60,000 openings;
- **lighting in the cooking chamber** ;
- knobs recessed into the dashboard to protect them from impacts;
- **t emperature adjustable from 30° C to 260° C** ;
- **steam maxi technology** with manual introduction of humidity into the cooking chamber;
- **equipped with two fans in the cooking chamber** operated with **AIR PLUS technology** with reverse rotation which ensure maximum cooking uniformity.

CE mark
Made in Italy

TECHNICAL CARD

power supply	Monofase/Trifase
Volts	V 230/1 - 400/3
frequency (Hz)	50
motor power capacity (Kw)	6,5
net weight (Kg)	49
breadth (mm)	800
depth (mm)	774
height (mm)	509

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
UX-GRP405 	Chrome grill Flat chromed GRID 600x400 mm	Delivery from 4 to 9 days
UX-TG410 	TECHNOCHEF - FLAT ALUMINUM PLATE, Mod.TG410 FLAT ALUMINUM PLATE, 600x400x15H - Indicated unit price, available in packs of 2 pieces	Delivery from 4 to 9 days
UX-TG405 	Unox - ALUMUNUM flat tray, Mod.TG405 ALUMUNUM PLATE TRAY, mm 600x400x15H - Indicated unit price, available in packs of 2	Delivery from 4 to 9 days
UX-GRP410 	5 CHANNEL SHAPED Chrome Grille mm 600x400 5 CHANNEL SHAPED Chrome Grille mm 600x400, for baguettes or pre-cooked loaves.	Delivery from 4 to 9 days
UX-TG430 	TECHNOCHEF - flat TRAY in PERFORATED and TEFLONAL ALLUMUNIUM, Mod.TG430 FLAT TUBE IN PERFORATED and TEFLONED ALLUMUNIUM, 600x400x15H mm - Indicated unit price, available in packs of 2 pieces	Delivery
UX-XC630 	SIDE SUPPORT ADAPTATION KIT Kit for ADAPTING SIDE SUPPORTS from mm. 600x400 to GN 1/1	Delivery from 4 to 9 days
UX-TG435 	TRAY in perforated-Teflon-coated aluminum, SHAPED with 5 CHANNELS TRAY in perforated-Teflon-coated aluminum, SHAPED with 5 CHANNELS, 600x400x15H mm	Delivery from 4 to 9 days
UX-TG440 	FAKIRO Aluminum PLATE FAKIRO Aluminum PLATE, 600x400x16H mm	Delivery from 4 to 9 days

UX-XC114



Delivery from 4 to 9 days

STEAM CONDENSER

STEAM CONDENSER, V.230 / 1, W. 8, external dimensions mm. 340x235x170h

UX-XLT193



Delivery from 4 to 9 days

UNOX - PROOFER with MANUAL CONTROLS, 2 Glass Doors, capacity 8 TRAYS measuring 600x400 mm

PROOFER for OVENS Mod. XFT190 - XFT193 - XFT180 - XFTT183 - .800x713x757h