



#### PROFESSIONAL DESCRIPTION

#### TABLE CUTTER with 5.3 lt STAINLESS STEEL TANK, VERSIONS WITH 1 or MORE SPEED:

- **sturdy AISI 430 stainless steel structure;**
- motor and tank side by side which allow the processed product to be isolated from heat;
- **stainless steel tub with thermal bottom and handles;**
- **tank capacity 5.3 litres;**
- **useful tank capacity 3.1 litres;**
- high efficiency ventilated motors for continuous use;
- **sturdy knives with curved blades in tempered cutlery steel;**
- **safety guaranteed** by a **double microswitch system on the lid;**
- **transparent Lexan lid** which allows excellent visibility during processing ;
- **hole for adding ingredients on the lid;**
- **continuous speed variator** (Mod.SI-C6VV) ;
- **variotronic:** stabilized speed variator with power control (Mod.SI-C6VT)

#### Supplied:

- spatula and blade sharpening plate.

#### Options/Accessories:

- Hub complete with knurled knives
- Hub complete with perforated knives
- Hub complete with dough knives
- Hub complete with pesto knives

**CE mark**

**Made in Italy**

#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>net weight (Kg)</b>	11

gross weight (Kg)	12
breadth (mm)	365
depth (mm)	305
height (mm)	320

#### AVAILABLE MODELS

##### SI-C6



Delivery from 4 to 9 days

##### **TechnoChef- STAINLESS STEEL TABLE CUTTER, speed 2,800 rpm, Mod.C6**

STAINLESS STEEL TABLE CUTTER, bowl capacity 5.3 lt, speed 2,800 rpm, V.230/1, Kw.0.35, Weight 11 Kg, dim.mm.365x305x320h

##### SI-C6VV



Delivery from 4 to 9 days

##### **TechnoChef - STAINLESS STEEL TABLE CUTTER, variable speed 1,500/2,800 rpm, Mod.C6VV**

STAINLESS STEEL TABLE CUTTER, bowl capacity 5.3 lt, variable speed 1,500/2,800 rpm, V.230/1, Kw.0.35, Weight 11 Kg, dim.mm.365x305x320h

##### SI-C6VT



Delivery from 4 to 9 days

##### **TechnoChef- STAINLESS STEEL TABLE CUTTER, power control 500/2,500 rpm, Mod.C6VT**

STAINLESS STEEL TABLE CUTTER, SIRMAN brand, bowl capacity 5.3 lt, stabilized variable speed with power control 500/2,500 rpm, V.230/1, Kw.0.35, Weight 11 Kg, dim.mm .365x305x320h



Mod. SI-C4 SI-C6




Mod. SI-C4VV SI-C6VV SI-C9VV



Mod. SI-C4VT SI-C6VT





A:	mm 160
B:	mm 310
C:	mm 305
D:	mm 365
E:	mm 320