

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD		
power supply	Trifase	
Volts	V 400/3	
frequency (Hz)	50	
breadth (mm)	640	
depth (mm)	350	
height (mm)	400	

PROFESSIONAL DESCRIPTION

LONG ADJUSTABLE ROLLER SHEETER mm 400 for: Processing Fresh Pasta, Pizza and Piadina,

- stainless steel and aluminum structure ,
- \circ low voltage controls (24 V) with push-button panel ,
- mushroom safety button for emergency stop,
- ventilated engine,
- chain drive,
- o pasta thickness adjustment 0÷7.5 mm,
- sheet loading chute that facilitates the grip of the sheet at the exit,
- available in: version with 400 mm long steel rollers for greater durability,
- available in: version with 400 mm long wooden rollers particularly suitable for rolling out pasta (leaving the typical imprint of the rolling pin).

Accessories/Options:

- 3-cut stainless steel pastry cutter tool applicable to the SF 250/320/400/500 pastry maker, cutting width mm: 2 3 4 6/7 9 12/13 19 24,
- single-cut stainless steel pastry cutter tool applicable to the SF 200/250/320/400 pastry maker, cutting width mm: 2 3 4 6/7 9 12/13 19 24,
- single-phase model on request.

CE MARK MADE IN ITALY

RO-SF400TX

ROGA pasta sheeter with 400 mm long STAINLESS STEEL ROLLERS, V 400/3, kW 0.60, dim. mm 640x350x400h

Delivery from 4 to 9 days





ROGA pasta sheeter with 400 mm long WOODEN ROLLERS, V 400/3, kW 0.60, dim. mm 640x350x400h

Delivery from 4 to 9 days

	TECHNICAL CARD	
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
ROSFMONO	Version with single-phase power supply V. 230/1	Delivery from 4 to 9 days
V.230/1 MONOFASE		
ROAPP180X1	Single-cut stainless steel pastry cutter	Delivery from 4 to 9 days
ROAPP180X3	3-edge stainless steel pastry cutter	Delivery from 4 to 9 days





