

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413

Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

PROFESSIONAL MEAT MINCER 'TYPE 12' production 160 kg / h, FIMAR brand:

- polished aluminum structure;
- $\circ\:$ hopper and stainless steel mold ;
- totally REMOVABLE STAINLESS STEEL grinding unit;
- meat inlet mouth 'Type 12', diameter 52 mm;
- reducer with gears in oil bath;
- supplied with: 69 mm diameter stainless steel mold with 6 mm diameter holes and self-sharpening stainless steel knife.
- Optional: reverse gear.
- o Accessories: perforated plates and knives, funnels for stuffing 15 mm 20 mm 30 mm diameter, tomato press for vegetable purée.
- CE standards

MADE IN ITALY

THE THE THE	
TECHNICAL CARD	
net weight (Kg)	20
gross weight (Kg)	22
breadth (mm)	400
depth (mm)	290
height (mm)	510

AVAILABLE MODELS



Meat mincer Type 12, stainless steel meat mincing unit totally removable, three-phase V.400

Meat mincer TYPE 12' with Loading MOUTH diameter 52 mm, YIELD 160 Kg / h, FULLY REMOVABLE stainless steel meat grinding unit, Three-phase V.400 / 3, Dim.mm 400x290x510h

Delivery from 4 to 9 days

FM12TS-M



Meat mincer Type 12, Stainless Steel Meat Mincing Group Totally Dismountable, Single-phase V. 230/1

Meat mincer TYPE 12' with Loading MOUTH diameter 52 mm, YIELD 160 Kg / h, FULLY REMOVABLE stainless steel meat grinding unit, Single-phase V. 230/1, Dim.mm 400x290x510h

Delivery from 4 to 9 days

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

FM-COLTELLO12



Type 12 stainless steel meat grinder knife, Knife for Meat Mincer Type 12 in stainless steel

Delivery from 4 to 9 days

FM-STAMPO12/6





Mold for meat mincer type 12 with \emptyset 6 mm holes, in stainless steel

Mold for meat mincer type 12 with holes diameter 6 mm, in stainless steel, external diameter 70 mm,

Delivery from 4 to 9 days

FM-STAMPO12/8





Stainless steel perforated mold Ø 8 mm, can be

used in Type 12 meat mincersStainless steel perforated mould, 70 mm diameter, for mod.12 meat mincer - with 8 mm diameter holes

Delivery from 4 to 9 days

FM-STAMPO12/45





Stainless steel perforated mold Ø 4.5 mm, Mod.12

Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 4.5 mm

Delivery from 4 to 9 days

FM-STAMPO12/3





Delivery from 4 to 9 days

Stainless steel perforated molds Ø 3 mm, Mod.12 Stainless steel perforated mould, diameter 70 mm, for

Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 3 mm

FM-STAMPO12/35





Delivery from 4 to 9 days

Stainless steel perforated molds \emptyset 3.5 mm, Mod.12

Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 3.5 mm

FM-STAMPO12/2





Stainless steel perforated mold Ø 2 mm, Mod.12

Stainless steel perforated mould, diameter 70 mm, for Mod.12 meat mincer - with 2 mm diameter holes

Delivery from 4 to 9 days

FMPASSAPOM-12

Delivery from 4 to 9 days



FIMAR - Tomato press-vegetable mill, usable in Type 12 meat mincers
Tomato press-vegetable mill applicable to meat mincers and combined Mod. 12