

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413

Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

PROFESSIONAL MEAT MINCER 'TYPE 12' production 160 kg / h, FIMAR brand:

- $\circ \ \ \text{polished aluminum structure} \ ;$
- hopper and stainless steel mold;
- Removable STAINLESS STEEL grinding unit;
- $\circ~$ meat inlet mouth 'Type 12', diameter 52 mm ;
- reducer with gears in oil bath;
- supplied with: Stainless steel mold Diameter 69 mm with 6 mm diameter holes and self-sharpening stainless steel knife.
- o Optional: reverse gear. Accessories: perforated plates and knives, funnels for stuffing 15 mm 20 mm 30 mm diameter, tomato press for vegetable purée.

• CE standards

MADE IN ITALY

TECHNICAL CARD	
net weight (Kg)	21
gross weight (Kg)	23
breadth (mm)	400
depth (mm)	250
height (mm)	500

AVAILABLE MODELS

FM-TR12S-T



Meat mincer Type 12, stainless steel meat mincing group, output 160 kg / hour, three-phase, V.400 / 3 Meat mincer TYPE 12' with Loading MOUTH diameter 52

mm, YIELD 160 Kg / h, Meat Grinding Unit in REMOVABLE Stainless Steel, V.400 / 3, Kw 0,75, dim. mm 400x250x500h

Delivery

FM-TR12S-M



Meat mincer Type 12, stainless steel meat mincing group, output 160 kg / hour, single phase V. 230/1

Meat mincer 'TYPE 12' with Loading MOUTH diameter 52 mm, YIELD 160 Kg / h, Meat Mincing Unit in REMOVABLE Stainless Steel, v. 230/1, Kw 0.75, dim. mm 400x250x500h

Delivery

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

FM-COLTELLO12



Type 12 stainless steel meat grinder knife,

Knife for Meat Mincer Type 12 in stainless steel

Delivery from 4 to 9 days

FM-STAMPO12/6





Mold for meat mincer type 12 with Ø 6 mm holes, in stainless steel

Mold for meat mincer type 12 with holes diameter 6 mm, in stainless steel, external diameter 70 mm,

Delivery from 4 to 9 days

FM-STAMPO12/8





Stainless steel perforated mold Ø 8 mm, can be

used in Type 12 meat mincers Stainless steel perforated mould, 70 mm diameter, for

mod.12 meat mincer - with 8 mm diameter holes

Delivery from 4 to 9 days

FM-STAMPO12/45





Stainless steel perforated mold Ø 4.5 mm, Mod.12

Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 4.5 mm

Delivery from 4 to 9 days

FM-STAMPO12/3





Delivery from 4 to 9 days

Stainless steel perforated molds Ø 3 mm, Mod.12 Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 3 mm

FM-STAMPO12/35





Stainless steel perforated molds Ø 3.5 mm, Mod.12

Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 3.5 mm

Delivery from 4 to 9 days

FM-STAMPO12/2





Delivery from 4 to 9 days

Stainless steel perforated mold Ø 2 mm, Mod.12 Stainless steel perforated mould, diameter 70 mm, for

Mod.12 meat mincer - with 2 mm diameter holes

FMPASSAPOM-12

Delivery from 4 to 9 days



FIMAR - Tomato press-vegetable mill, usable in Type 12 meat mincers
Tomato press-vegetable mill applicable to meat mincers and combined Mod. 12