



#### PROFESSIONAL DESCRIPTION

##### COMBINED MEAT MINCER-GRATER, 'TYPE 12' in single-phase or three-phase version:

- polished aluminum structure ;
- stainless steel meat hopper ;
- completely removable stainless steel meat grinding unit ;
- **Molds** with different holes **to obtain Swiss, meatballs, ragù, frankfurters** , etc.,
- **grater with steel roller** for processing **cheese , bread , biscuits , dried fruit** , etc.,
- **hourly production: tricarne 160 kg/h - grater 40 kg/h** ;
- **reduction gear** with **oil bath** gears;
- **lower protection grill** in the grater **outlet** ;
- **microswitch on the grater lever** according to European Directives;
- **meat inlet mouth 'Type 12', diameter 52 mm** ;
- 
- 
- **Supplied :**
- **Stainless steel molds ( 6 mm diameter holes ) and self-sharpening stainless steel knife .**
- **OPTIONAL - ACCESSORIES**
- reverse.
- Perforated molds of various sizes,
- knives,
- funnels for stuffing diameter 15 mm - 20 mm - 30 mm,
- Tomato press and vegetable mill tool.

**MADE IN ITALY**

#### TECHNICAL CARD

<b>net weight (Kg)</b>	26
<b>gross weight (Kg)</b>	30
<b>breadth (mm)</b>	605
<b>depth (mm)</b>	305
<b>height (mm)</b>	510

## AVAILABLE MODELS

### FMAB12AT-T



#### **Combined Meat Grinder-Grater Type 12, V. 400/3 + N, Removable stainless steel mincer unit**

Combined Meat mincer / Grater Type 12 in polished aluminum with hopper and basins in stainless steel, TOTALLY REMOVABLE stainless steel mincer unit, V. 400/3, Kw 0,75, dim. mm 605x305x510h

**Delivery** from 4 to 9 days

### FMAB12AT-M



#### **Combined Meat Grinder-Grater Type 12, V. 230/1, Removable stainless steel meat mincer unit**

Combined Meat mincer / Grater Type 12 in polished aluminum with hopper and basins in stainless steel, TOTALLY REMOVABLE stainless steel mincer unit, V. 230/1, Kw 0.75, dim. mm 605x305x510h

**Delivery** from 4 to 9 days

## TECHNICAL CARD

### CODE/PICTURES

### DESCRIPTION

### PRICE/DELIVERY

### FM-COLTELLO12



**Type 12 stainless steel meat grinder knife,**  
Knife for Meat Mincer Type 12 in stainless steel

**Delivery** from 4 to 9 days

### FM-STAMPO12/6



**Mold for meat mincer type 12 with Ø 6 mm holes, in stainless steel**

Mold for meat mincer type 12 with holes diameter 6 mm, in stainless steel, external diameter 70 mm,

**Delivery** from 4 to 9 days

### FM-STAMPO12/8



**Stainless steel perforated mold Ø 8 mm, can be used in Type 12 meat mincers**

Stainless steel perforated mould, 70 mm diameter, for mod.12 meat mincer - with 8 mm diameter holes

**Delivery** from 4 to 9 days

### FM-STAMPO12/45



**Stainless steel perforated mold Ø 4.5 mm, Mod.12**

Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 4.5 mm

**Delivery** from 4 to 9 days

### FM-STAMPO12/3



**Stainless steel perforated molds Ø 3 mm, Mod.12**

Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 3 mm

**Delivery** from 4 to 9 days

**FM-STAMPO12/35****Stainless steel perforated molds Ø 3.5 mm, Mod.12**

Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 3.5 mm

**Delivery** from 4 to 9 days

**FM-STAMPO12/2****Stainless steel perforated mold Ø 2 mm, Mod.12**

Stainless steel perforated mould, diameter 70 mm, for Mod.12 meat mincer - with 2 mm diameter holes

**Delivery** from 4 to 9 days

**FM-INVERSIONE****Reverse**

Reverse

**Delivery** from 4 to 9 days

**FMPASSAPOM-12****FIMAR - Tomato press-vegetable mill, usable in Type 12 meat mincers**

Tomato press-vegetable mill applicable to meat mincers and combined Mod. 12

**Delivery** from 4 to 9 days