



PROFESSIONAL DESCRIPTION

COMBINED MEAT MINCER - GRATER - 'TYPE 12' single-phase or three-phase version:

- polished aluminum structure ;
- stainless steel meat hopper ;
- removable stainless steel meat grinding unit ;
- Meat mincer molds with different holes to obtain Swiss, meatballs, ragù, frankfurters , etc.,
- grater with steel roller for processing cheese , bread , biscuits , dried fruit , etc.,
- hourly production: meat grinder 160 kg/h - grater 40 kg/h ;
- reduction gear with oil bath gears;
- lower protection grill in the grater outlet ;
- microswitch on the grater lever according to European Directives;
- meat inlet mouth 'Type 12', diameter 52 mm ;
-
- supplied : stainless steel plate (6 mm diameter holes) and self-sharpening stainless steel knife .

OPTIONAL - ACCESSORIES :

- reverse.
- perforated plates of various sizes, knives , funnels for stuffing diameter 15 mm - 20 mm - 30 mm,
- Tomato press-vegetable press tool.

CE MARK
MADE IN ITALY

TECHNICAL CARD

frequency (Hz)	50
net weight (Kg)	23
gross weight (Kg)	26
breadth (mm)	590
depth (mm)	290
height (mm)	510

AVAILABLE MODELS

FMAB12T-T

Type 12 Meat Grinder-Grater, Removable Stainless Steel Meat Grinding Group, V. 380/3
 Combined Meat Grinder / Grater Type 12, in polished aluminum, removable stainless steel meat mincing unit,
 HOURLY PRODUCTION: MEAT MINCER 160 kg / h,
 GRATER 40 kg / h, V 380/3, Kw 0.75, dim. mm
 590x290x510h

Delivery from 4 to 9 days**FMAB12T-M**

Meat Grinder-Grater Type 12, Removable Stainless Steel Meat Grinding Group, V. 230/1
 Combined Meat Grinder / Grater Type 12, in polished aluminum, removable stainless steel meat mincing unit,
 HOURLY PRODUCTION: MEAT MINCER 160 kg / h,
 GRATER 40 kg / h, V 230/1, Kw 0.75, dim. mm
 590x290x510h

Delivery from 4 to 9 days**TECHNICAL CARD****CODE/PICTURES****DESCRIPTION****PRICE/DELIVERY****FM-COLTELLO12**

Type 12 stainless steel meat grinder knife,
 Knife for Meat Mincer Type 12 in stainless steel

Delivery from 4 to 9 days**FM-STAMPO12/6**

STAINLESS STEEL 304 PERFORATED MOLD-PLATE for MEAT MINCER Type 12
 'TYPE 12' mold in stainless steel with 6 mm diameter holes, for FIMAR Mod.12 professional meat mincer

Delivery from 4 to 9 days**FM-STAMPO12/8**

Stainless steel perforated mold Ø 8 mm, can be used in Type 12 meat mincers
 Stainless steel perforated mould, 70 mm diameter, for mod.12 meat mincer - with 8 mm diameter holes

Delivery from 4 to 9 days**FM-STAMPO12/45**

Stainless steel perforated mold Ø 4.5 mm, Mod.12
 Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 4.5 mm

Delivery from 4 to 9 days**FM-STAMPO12/3**

Stainless steel perforated molds Ø 3 mm, Mod.12
 Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 3 mm

Delivery from 4 to 9 days**FM-STAMPO12/35**

Stainless steel perforated molds Ø 3.5 mm, Mod.12
 Stainless steel perforated mould, diameter 70 mm, for meat mincer mod.12 - with holes diameter 3.5 mm

Delivery from 4 to 9 days

FM-STAMPO12/2**Delivery** from 4 to 9 days**Stainless steel perforated mold Ø 2 mm, Mod.12**

Stainless steel perforated mould, diameter 70 mm, for Mod.12 meat mincer - with 2 mm diameter holes

FM-INVERSIONE

□

Reverse

Reverse

Delivery from 4 to 9 days**FMPASSAPOM-12****Delivery** from 4 to 9 days**FIMAR - Tomato press-vegetable mill, usable in Type 12 meat mincers**

Tomato press-vegetable mill applicable to meat mincers and combined Mod. 12