



PROFESSIONAL DESCRIPTION

WINDOW INOX 430 ASPIRING HAMS with Engine, SNACK Line, Profound 1100 mm :

- **AISI 430 stainless steel monobloc structure** , electronically pointed, brushed scotch finish;
- **perimetral duct with sealing gasketing** for grease collection;
- **maximum hygiene and safety** in the cleaning operation with its tap for drainage of liquids;
- **filters 18/10 stainless steel grease** labyrinth.

Accessories / Optional :

- neon ceiling fixtures of varying power
- halogen spotlights
- speed controller REM10A or RED10A
- stainless steel construction AISI 304 on request

CE mark

Made in Italy

AVAILABLE MODELS

AIF-DSSME11/12



Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 1200x1100 mm

430 stainless steel wall-mounted suction hood with motor, SNACK series, with 2 labyrinth grease filters, V.230 / 1, Kw.0,147, Weight 59 Kg, dim.mm.1200x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/14



Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 1400x1100 mm

430 stainless steel wall-mounted suction hood with motor, SNACK series, with 2 labyrinth grease filters, V.230 / 1, Kw.0,147, Weight 64 Kg, dim.mm.1400x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/16

Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 1600x1100 mm
 430 stainless steel wall-mounted suction hood with motor, SNACK series, with 3 labyrinth grease filters, V.230 / 1, Kw.0,147, Weight 72 Kg, dim.mm.1600x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/18

Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 1800x1100 mm
 430 stainless steel wall-mounted suction hood with motor, SNACK series, with 4 labyrinth grease filters, V.230 / 1, Kw.0,147, Weight 80 Kg, dim.mm.1800x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/20

Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 2000x1100 mm
 430 stainless steel wall-mounted suction hood with motor, SNACK series, with 4 labyrinth grease filters, V.230 / 1, Kw.0,147, Weight 89 Kg, dim.mm.2000x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/22

Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 2200x1100 mm
 430 stainless steel wall-mounted suction hood with motor, SNACK series, with 4 labyrinth grease filters, V.230 / 1, Kw.0.147, Weight 92 Kg, dim.mm.2200x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/24

Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 2400x1100 mm
 430 stainless steel wall-mounted suction hood with motor, SNACK series, with 5 labyrinth grease filters, V.230 / 1, Kw.0.42, Weight 98 Kg, dim.mm.2400x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/26

Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 2600x1100 mm
 430 stainless steel wall-mounted suction hood with motor, SNACK series, with 5 labyrinth grease filters, V.230 / 1, Kw.0.42, Weight 104 Kg, dim.mm.2600x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/28

Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 2800x1100 mm
 430 stainless steel wall-mounted suction hood with motor, SNACK series, with 6 labyrinth grease filters, V.230 / 1, Kw.0.42, Weight 110 Kg, dim.mm.2800x1100x450h

Delivery from 8 to 15 days

AIF-DSSME11/30

Wall-mounted 430 stainless steel extractor hood with motor, SNACK series, 3000x1100 mm
 430 stainless steel wall-mounted suction hood with motor, SNACK series, with 6 labyrinth grease filters, V.230 / 1, Kw.0.42, Weight 118 Kg, dim.mm.3000x1100x450h

Delivery from 8 to 15 days

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

AIF-FA3/DSSM**Delivery** from 8 to 15 days**Halogen spotlights (n°3)**

Halogen spotlights (n°3), for Hoods Mod: DSSME7/10 - DSSME7/12 - DSSME7/14 (700 mm deep), DSSME9/12 - DSSME9/14 (900 mm deep), DSSME11/12 - DSSME11/14 (1100 mm deep)

AIF-PL20W/DSSM**Delivery** from 8 to 15 days**20W neon ceiling light**

20 W neon ceiling light, for hoods Mod: DSSME7/10 - DSSME7/12 - DSSME7/14 (Deep 700 mm), DSSME9/12 - DSSME9/14 (Deep 900 mm), DSSME11/12 - DSSME11/14 (Deep 1100mm)

AIF-REM10A**Delivery** from 4 to 9 days**Manual Speed Regulator for Hoods with Light Switch**

Manual speed regulator for HOOD ASPIRATORS with light switch, V. 230/1, 50 Hz, Max 6.4 Amp. - Kw. 1.2, dim. 13x6x8.5h cm

AIF-RED10A**Delivery** from 4 to 9 days**Speed regulator for hoods, digital with light switch**

Speed regulator for HOOD Vacuums, Digital with light switch, V.230 / 1, Kw.1,00 - Hz 50-60, MAX 6.4 Ampere, Dim.mm 158x77x117h

AIF-FA4/DSSM**Delivery** from 8 to 15 days**Halogen spotlights (n°4)**

Halogen spotlights (n°4), for Hoods Mod: DSSME7/16 - DSSME7/18 (700 mm deep), DSSME9/16 - DSSME9/18 (900 mm deep), DSSME11/16 - DSSME11/18 (1100 mm deep)

AIF-FA5/DSSM**Delivery** from 8 to 15 days**Halogen spotlights (n°5)**

Halogen spotlights (n°5), for hoods Mod: DSSME7/20 (700 mm deep), DSSME9/20 (900 mm deep), DSSME11/20 (1100 mm deep)

AIF-PL20W/DSSM**Delivery** from 8 to 15 days**20W neon ceiling light**

20 W neon ceiling light, for hoods Mod: DSSME7/16 - DSSME7/18 - DSSME7/20 (700 mm deep), DSSME9/16 - DSSME9/18 - DSSME9/20 (900 mm deep), DSSME11/16 - DSSME11/18 - DSSME11/20 (1100 mm deep)

AIF-FA5/DSSM**Delivery** from 8 to 15 days**Halogen spotlights (n°5)**

Halogen spotlights (n°5), for hoods Mod: DSSME9/22 (900 mm deep), DSSME11/22 (1100 mm deep)

AIF-FA6/DSSM**Halogen spotlights (n°6)**

Halogen spotlights (n°6), for Hoods Mod: DSSME7/28 (700 mm deep), DSSME9/24 - DSSME9/26 - DSSME9/28 (900 mm deep), DSSME11/24 - DSSME11/26 - DSSME11/28 (1100 mm deep)

Delivery from 8 to 15 days

AIF-FA8/DSSM**Halogen spotlights (n°8)**

Halogen spotlights (n°8), for hoods Mod: DSSME7/30 (700 mm deep), DSSME9/30 (900 mm deep), DSSME11/30 (1100 mm deep)

Delivery from 8 to 15 days

AIF-PL20W/DSSM**20W neon ceiling light**

20 W neon ceiling light, for hoods Mod: DSSME9/22 (900 mm deep), DSSME11/22 (1100 mm deep)

Delivery from 8 to 15 days

AIF-PL40W/DSSM**40W neon ceiling light**

40 W neon ceiling light, for hoods Mod: DSSME7/28 - DSSME7/30 (700 mm deep), DSSME9/24 - DSSME9/26 - DSSME9/28 - DSSME9/30 (900 mm deep), DSSME11/24 - DSSME11/26 - DSSME11/28 - DSSME11/30 (1100 mm deep)

Delivery from 8 to 15 days





