



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
EM-ERMETIKA	PLUTONE LINE BENCH VACUUM PACKAGING MACHINE, Mod.ERMETIKA, with 360x400x190h mm CHAMBER, 350 mm SEALING BAR, DIGITAL CONTROLS, V. 230/1 - Kw 1.00 - external dimensions mm. 420x530x400h	Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

BENCH COUNTER VACUUM PACKAGING MACHINE PLUTO Line, Mod.ERMETIKA, CE standards :

- **VACUUM CHAMBER 360x400x190h mm** , made of **stainless steel** molded in a **single piece** with **rounded corners** for **maximum hygiene** and **ease of cleaning** ,
- **350 mm SEALING BAR** , fully removable wiring;
- **single-program DIGITAL CONTROL** panel with manually activated **timed vacuum percentage** ,
- **VACUUM PUMP of 10 metres / cubic meters / hour** ;
- **Filling platforms** series;
- Transparent tank lid with **automatic piston lifting at the end of the work cycle** ;
- **1 work program that can be modified and stored** thanks to the control panel;
- **Pump self-cleaning system** for removing water and humidity;
- Optimal times and reduced maintenance costs;
- **GASTROVAC function** for creating **external vacuum** in GN containers;
- **EXTRAVAC function** which offers a **second vacuum phase of 5 seconds** (suitable for minced and boned meat);
- **Emergency button** for blocking the appliance + rapid welding;
- Carter with 90° opening to facilitate access to the inside of the packaging machine;
- Adjustable zips;
-
- **Note** : Possibility of **external vacuum** with **the use of embossed envelopes** , (as visible in the photo)

OPTIONS/ACCESSORIES

- Possibility of **vacuuming in external containers** or **gastro-norm containers** using a specific kit (Code EM-TUBOGN)
- **Inclined Surface** for **Packaging Liquid Products** (Code EM-PI)
- Cart for Machine Support (EM-CR)

CE mark**Made in Italy****TECHNICAL CARD**

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,00
net weight (Kg)	40
gross weight (Kg)	44
breadth (mm)	420
depth (mm)	530
height (mm)	400

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
---------------	-------------	----------------

EM-PI**Delivery** from 4 to 9 days**Inclined plane, Mod.PI**

Inclined surface for liquid packaging, suitable for bell-shaped packaging machines

EM-TUBOGN**Delivery****Tube with adapter sleeve in gastro containers**

Tube with adapter sleeve in gastro containers

EM-CR



Machine Support Trolley, Mod. CR
Support trolley


Delivery from 4 to 9 days



STANDARD FUNCTIONS PER CONFEZIONATRICI A CAMPANA
STANDARD FUNCTION ONLY FOR CHAMBER MACHINES



Pannello digitale
Digital panel



Sistema autopulizia olio
Oil made auto cleaning system



Pannello comandi a totale tenuta
contro umidità.
Waterproof control Panel



Carter apribile a 90°
90° openable carter



Barre saldanti estraibili
Removable sealing bars



Vasca inox con angoli stondati
senza saldature
Entirely printed stainless steel
vacuum chamber, with internal
round corners



Connessione per attacco gastrovac
Connection for the gastrovac system



Set tavole di riempimento in
polietilene
Polyethylene filling squares set



OPTIONAL PER CONFEZIONATRICI A CAMPANA
OPTIONALS ONLY FOR CHAMBER MACHINES



Pompa Busch
Busch Pump



Carrello supporto macchina
Charriot on wheels



Piano inclinato per liquidi
Inclined plane for liquids



Tensione e frequenza speciale
Voltage and speciale frequency

