



PROFESSIONAL DESCRIPTION

CAPPE ASPIRANTI INOX 430 a PARETE senza Motore, con Profondità di 1400 mm:

- struttura monoblocco in acciaio inox 430, puntata elettronicamente, finitura scotch-brite;
- canalina perimetrale antigocciolamento a tenuta ermetica per raccolta grassi;
- massima igenicità e sicurezza nelle operazione di pulizia con relativo rubinetto per lo scarico dei liquidi;
- filtri Grasso in acciaio inox 18/10 a labirinto.

Accessori/Optional:

- plafoniera al neon di varia potenza
- faretti alogeni
- costruzione in acciaio INOX AISI 304 su richiesta

Marchio CE
Made in ITALY

AVAILABLE MODELS

AIF-DSPE14/12



Delivery from 8 to 15 days

Wall-mounted 430 stainless steel extractor hood without motor, 1200x1400 mm

Wall-mounted 430 stainless steel extractor hood without motor, with 2 labyrinth grease filters, weight 63 Kg, dim.mm.1200x1400x450h

AIF-DSPE14/14



Delivery from 8 to 15 days

Wall-mounted 430 stainless steel extractor hood without motor, 1400x1400 mm

Wall-mounted 430 stainless steel extractor hood without motor, with 2 labyrinth grease filters, weight 67 Kg, dim.mm.1400x1400x450h

AIF-DSPE14/16**Delivery** from 8 to 15 days**Wall-mounted 430 stainless steel extractor hood without motor, 1600x1400 mm**

Wall-mounted 430 stainless steel extractor hood without motor, with 3 labyrinth grease filters, weight 75 Kg, dim.mm.1600x1400x450h

AIF-DSPE14/18**Delivery** from 8 to 15 days**Wall-mounted 430 stainless steel extractor hood without motor, 1800x1400 mm**

Wall-mounted 430 stainless steel extractor hood without motor, with 4 labyrinth grease filters, weight 84 Kg, dim.mm.1800x1400x450h

AIF-DSPE14/20**Delivery** from 8 to 15 days**Wall-mounted 430 stainless steel extractor hood without motor, 2000x1400 mm**

Wall-mounted 430 stainless steel extractor hood without motor, with 4 labyrinth grease filters, weight 90 Kg, dim.mm.2000x1400x450h

AIF-DSPE14/22**Delivery** from 8 to 15 days**Wall-mounted 430 stainless steel extractor hood without motor, 2200x1400 mm**

Wall-mounted 430 stainless steel extractor hood without motor, with 4 labyrinth grease filters, weight 97 kg, dim.mm.2200x1400x450h

AIF-DSPE14/24**Delivery** from 8 to 15 days**Wall-mounted 430 stainless steel extractor hood without motor, 2400x1400 mm**

Wall-mounted 430 stainless steel extractor hood without motor, with 5 labyrinth grease filters, weight 103 Kg, dim.mm.2400x1400x450h

AIF-DSPE14/26**Delivery** from 8 to 15 days**Wall-mounted 430 stainless steel extractor hood without motor, 2600x1400 mm**

Wall-mounted 430 stainless steel extractor hood without motor, with 5 labyrinth grease filters, weight 109 kg, dim.mm.2600x1400x450h

AIF-DSPE14/28**Delivery** from 8 to 15 days**Wall-mounted 430 stainless steel extractor hood without motor, 2800x1400 mm**

Wall-mounted 430 stainless steel extractor hood without motor, with 6 labyrinth grease filters, weight 116 Kg, dim.mm.2800x1400x450h

AIF-DSPE14/30**Delivery** from 8 to 15 days**Wall-mounted 430 stainless steel extractor hood without motor, 3000x1400 mm**

Wall-mounted 430 stainless steel extractor hood without motor, with 6 labyrinth grease filters, weight 130 Kg, dim.mm.3000x1400x450h

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
AIF-FA3/DSP 	Halogen spotlights (n°3) Halogen spotlights (n°3), for Hoods Mod: DSPE9/12 - DSPE9/14 (900 mm deep), DSPE11/12 - DSPE11/14 (1100 mm deep), DSPE14/12 - DSPE14/14 (1400 mm deep)	Delivery from 8 to 15 days
AIF-PL20W/DSP 	20W neon ceiling light 20 W neon ceiling light, for hoods Mod: DSPE9/12 - DSPE9/14 (900 mm deep), DSPE11/12 - DSPE11/14 (1100 mm deep), DSPE14/12 - DSPE14/14 (1400 mm deep)	Delivery from 8 to 15 days
AIF-FA4/DSP 	Halogen spotlights (n°4) Halogen spotlights (n°4), for Hoods Mod: DSPE9/16 - DSPE9/18 (900 mm deep), DSPE11/16 (1100 mm deep), DSPE14/16 - DSPE14/18 (1400 mm deep)	Delivery from 8 to 15 days
AIF-FA5/DSP 	Halogen spotlights (n°5) Halogen spotlights (n°5), for hoods Mod: DSPE9/20 (900 mm deep), DSPE11/20 (1100 mm deep), DSPE14/20 (1400 mm deep)	Delivery from 8 to 15 days
AIF-PL20W/DSP 	20W neon ceiling light 20 W neon ceiling light, for hoods Mod: DSPE9/16 - DSPE9/18 - DSPE9/20 (900 mm deep), DSPE11/16 - DSPE11/20 (1100 mm deep), DSPE14/16 - DSPE14/18 - DSPE14 /20 (1400 mm deep)	Delivery from 8 to 15 days
AIF-FA5/DSP 	Halogen spotlights (n°5) Halogen spotlights (n°5), for hoods Mod: DSPE9/22 (900 mm deep), DSPE11/22 (1100 mm deep), DSPE14/22 (1400 mm deep)	Delivery from 8 to 15 days
AIF-FA6/DSP 	Halogen spotlights (n°6) Halogen spotlights (n°6), for Hoods Mod: DSPE9/24 - DSPE9/26 - DSPE9/28 (900 mm deep), DSPE11/24 - DSPE11/26 - DSPE11/28 (1100 mm deep), DSPE14/24 - DSPE14/26 - DSPE14/28 (1400 mm deep)	Delivery from 8 to 15 days
AIF-FA8/DSP 	Halogen spotlights (n°8) Halogen spotlights (n°8), for hoods Mod: DSPE9/30 (900 mm deep), DSPE11/30 (1100 mm deep), DSPE14/30 (1400 mm deep)	Delivery from 8 to 15 days

AIF-PL20W/DSP**20W neon ceiling light**

20 W neon ceiling light, for hoods Mod: DSPE9/22 (900 mm deep), DSPE11/22 (1100 mm deep), DSPE14/22 (1400 mm deep)

Delivery from 8 to 15 days

AIF-PL40W/DSP**40W neon ceiling light**

40 W neon ceiling light, for hoods Mod: DSPE9/24 - DSPE9/26 - DSPE9/28 - DSPE9/30 (900 mm deep), DSPE11/24 - DSPE11/26 - DSPE11/28 - DSPE11/30 (1100 mm deep mm), DSPE14/24 - DSPE14/26 - DSPE14/28 - DSPE14/30 (1400 mm deep)

Delivery from 8 to 15 days





