

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



CODE	DESCRIPTION	PRICE/DELIVERY
JP-TSM102-R	MANUAL LEVER THERMOSEALING MACHINE WITHOUT MOLD, for PREFORMED TRAYS with MAXIMUM SIZE of mm 260x195x155h, V.230/1, kw 0,7, dimensions mm 315x450x555h	

PROFESSIONAL DESCRIPTION

MANUAL THERMAL **SEALER for TRAYS**, Without MOLDS:

- Made for packaging in PREFORMED TRAYS with MAXIMUM size of 260x190x155h mm seal with transparent FILM;
- Built in stainless steel and anodized aluminum;
- Teflon-coated aluminum sealing plate with electronic temperature control (0°-200°C);
- Nine storable welding PROGRAMS;
- Acoustic and luminous alarm at the end of the cycle;
- The welding cycle takes place with the mold fully inserted by manually acting on the appropriate lever;
- The closing film is dragged automatically by inserting the mold into the machine and is then automatically cut at the end of the tray sealing cycle;
- Film reel maximum dimensions length 220 mm diameter 200 mm .

OPERATION'

- Insert the tray into the mold placed on the guides,
- Push the mold to the BOTTOM towards the machine by gripping the athermic handle,
- Start the welding cycle by manually acting on the appropriate lever,
- At the sound of the BIP, the mold can be removed and the tray removed.

OPTIONALS - ACCESSORIES

- INFINITY mould, ADJUSTABLE for trays, patented, ADAPTABLE with an operation of 3 seconds , to 12 different FORMATS;
- Fixed mold with 1 impression;
- On request: **Design of molds** for customized trays;
- Carter protect Film;
- · Micro-Puncher Group for film (necessary when you want to pack very hot products that emit a lot of steam);

CE mark Made in Italy

TECHNICAL CARD		
power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	0,7	
net weight (Kg)	25	
gross weight (Kg)	29	
breadth (mm)	315	
depth (mm)	450	
height (mm)	555	

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

JPST102P-PPSS-1



Fixed mold for sealing machines

Fixed die with 1 FOOT for JPTSM102-R / JPTSS102-R

models

JP-DA000097



Drilling group

Drilling group for TSS102-R TSM102-R

JP-DS0106



Technochef - STAMPO INFINITY 1 per Termosigillatrici mod.TSM102-R e TSS102-R

INFINITY 1 Adjustable Mold - seals 190x137 cardboard and polypropylene trays, the 137x125 format in cardboard and the 137x95 format in polypropylene.

JP-DS0125



Technochef - STAMPO INFINITY 2 per Termosigillatrici mod.TSM102-R e TSS102-R

INFINITY $\bar{2}$ Adjustable Mold - seals 260x190/230x190/190x137 cardboard and polypropylene trays and the 137x95 format in polypropylene.

JP-DS0127



Technochef - STAMPO INFINITY 2 per Termosigillatrici mod.TSM102-R e TSS102-R

INFINITY 2 Adjustable Mold - seals 260x190/230x190/190x137 cardboard and polypropylene trays and the 137x125 format in cardboard.

JP-DS0094



Technochef - STAMPO INFINITY PLUS per Termosigillatrici mod.TSM102-R e TSS102-R

INFINITY PLUS Adjustable Mold - seals 260x190/230x190/190x137 cardboard and polypropylene trays, the 137x125 format in cardboard and the 137x95 format in polypropylene.