



PROFESSIONAL DESCRIPTION

CAPPE ASPIRANTI CENTRALI INOX 430 senza Motore, con Profondità di 2200 mm:

- struttura monoblocco in acciaio inox AISI 430, puntata elettronicamente, finitura scotch-brite;
- canalina perimetrale antigocciolamento a tenuta ermetica per raccolta grassi;
- massima igienicità e sicurezza nelle operazione di pulizia con relativo rubinetto per lo scarico dei liquidi;
- filtri Grasso in acciaio inox 18/10 a labirinto.

Accessori/Optional:

- plafoniera al neon di varia potenza
- faretti alogeni
- costruzione in acciaio INOX AISI 304 su richiesta

Marchio CE
Made in ITALY

AVAILABLE MODELS

AIF-DSCE22/16



Delivery from 8 to 15 days

Central stainless steel extractor hood without motor, 1600x2200 mm

Central stainless steel extractor hood 430 without motor, with 6 labyrinth grease filters, weight 94 Kg, dim.mm.1600x2200x450h

AIF-DSCE22/18



Delivery from 8 to 15 days

Central stainless steel extractor hood without motor, 1800x2200 mm

Central stainless steel extractor hood 430 without motor, with 6 labyrinth grease filters, weight 104 Kg, dim.mm.1800x2200x450h

AIF-DSCE22/20**Delivery** from 8 to 15 days**Central stainless steel extractor hood without motor, 2000x2200 mm**

Central stainless steel extractor hood 430 without motor, with 6 labyrinth grease filters, weight 111 Kg, dim.mm.2000x2200x450h

AIF-DSCE22/22**Delivery** from 8 to 15 days**Central stainless steel extractor hood without motor, 2200x2200 mm**

Central stainless steel extractor hood 430 without motor, with 8 labyrinth grease filters, weight 118 Kg, dim.mm.2200x2200x450h

AIF-DSCE22/24**Delivery** from 8 to 15 days**Central stainless steel extractor hood without motor, 2400x2200 mm**

Central stainless steel extractor hood 430 without motor, with 8 labyrinth grease filters, weight 125 Kg, dim.mm.2400x2200x450h

AIF-DSCE22/26**Delivery** from 8 to 15 days**Central stainless steel extractor hood without motor, mm 2600x2200**

Central stainless steel extractor hood 430 without motor, with 10 labyrinth grease filters, weight 132 Kg, dim.mm.2600x2200x450h

AIF-DSCE22/28**Delivery** from 8 to 15 days**Central stainless steel extractor hood without motor, 2800x2200 mm**

Central stainless steel extractor hood 430 without motor, with 10 labyrinth grease filters, weight 139 Kg, dim.mm.2800x2200x450h

AIF-DSCE22/30**Delivery** from 8 to 15 days**Central extractor hoods without motor, 3000x2200 mm**

Central stainless steel extractor hood 430 without motor, with 10 labyrinth grease filters, weight 155 Kg, dim.mm.3000x2200x450h

TECHNICAL CARD**CODE/PICTURES****DESCRIPTION****PRICE/DELIVERY****AIF-FA8/DSC****Delivery** from 8 to 15 days**Halogen spotlights (n°8)**

Halogen spotlights (n°8), for Hoods Mod: DSCE13/16 (1300 mm deep), DSCE22/16 - DSCE22/18 (2200 mm deep)

AIF-FA10/DSC**Delivery** from 8 to 15 days**Halogen spotlights (n°10)**

Halogen spotlights (n°10), for Hood Mod: DSCE22/20

AIF-PL2X20W/DSC16-18-20**Delivery** from 8 to 15 days**2x20W neon ceiling light**

2x20 W neon ceiling light, for hoods Mod: DSCE13/16 (1300 mm deep), DSCE22/16 - DSCE22/18 - DSCE22/20 (2200 mm deep)

AIF-FA10/DSC**Delivery** from 8 to 15 days**Halogen spotlights (n°10)**

Halogen spotlights (n°10), for Hoods Mod: DSCE13/22 (1300 mm deep), DSCE22/22 (2200 mm deep)

AIF-FA12/DSC**Delivery** from 8 to 15 days**Halogen spotlights (n°12)**

Halogen spotlights (n°12), for Hoods Mod: DSCE13/24 - DSCE13/26 - DSCE13/28 (1300 mm deep), DSCE22/24 - DSCE22/26 - DSCE22/28 (2200 mm deep)

AIF-FA16/DSC**Delivery** from 8 to 15 days**Halogen spotlights (n°16)**

Halogen spotlights (n°16), for Hoods Mod: DSCE13/30 (1300 mm deep), DSCE22/30 (2200 mm deep)

AIF-PL2X20W/DSC22**Delivery** from 8 to 15 days**2x20W neon ceiling light**

2x20 W neon ceiling light, for hoods Mod: DSCE13/22 (1300 mm deep), DSCE22/22 (2200 mm deep)

AIF-PL2X40W/DSC**Delivery** from 8 to 15 days**2x40W neon ceiling light**

2x40 W neon ceiling light, for Hoods Mod: DSCE13/24 - DSCE13/26 - DSCE13/28 - DSCE13/30 (1300 mm deep), DSCE22/24 - DSCE22/26 - DSCE22/28 - DSCE22/30 (2200 mm deep mm)



