

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA ITO200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

CENTRAL EXTRACTION HOODS INOX 430 with Motor, Deep 1300 mm:

- $\circ \ \ \textbf{monoblock structure in AISI 430 stainless steel} \ , \ \text{electronically pointed}, \ \text{scotch-brite finish}; \\$
- $\circ~$ hermetically sealed anti-drip perimeter duct for fats collection;
- maximum hygiene and safety in the cleaning operation with relative tap for the discharge of liquids;
- Grease filters in 18/10 stainless steel labyrinth.

Accessories / Optional:

- $\circ\,$ neon ceiling light of various power
- halogen spotlights
- REM10A or RED10A speed controller
- o AISI 304 stainless steel construction on request

CE mark Made in Italy

AVAILABLE MODELS

AIF-DSCME13/12



Delivery from 8 to 15 days

Central stainless steel extractor hood with motor, 1200x1300 mm

Central extractor hood stainless steel 430 with motor, with 4 labyrinth grease filters, V.230 / 1, Kw.0.147, Weight 86 Kg, dim.mm.1200x1300x450h

AIF-DSCME13/14



Delivery from 8 to 15 days

Central stainless steel extractor hood with motor, 1400x1300 mm

Central stainless steel extractor hood 430 with motor, with 4 labyrinth grease filters, V.230 / 1, Kw.0.147, Weight 93 Kg, dim.mm.1400x1300x450h

AIF-DSCME13/16



Central stainless steel extractor hood with motor, 1600x1300 mm

Central extractor hood stainless steel 430 with motor, with 6 labyrinth grease filters, V.230 / 1, Kw.0.147, Weight 99 Kg, dim.mm.1600x1300x450h

Delivery from 8 to 15 days

AIF-DSCME13/18



Central stainless steel extractor hood with motor, 1800x1300 mm

Central extractor hood stainless steel 430 with motor, with 6 labyrinth grease filters, V.230 / 1, Kw.0.147, Weight 109 Kg, dim.mm.1800x1300x450h

Delivery from 8 to 15 days

AIF-DSCME13/20



Central stainless steel extractor hood with motor, 2000x1300 mm

Central extractor hood stainless steel 430 with motor, with 6 labyrinth grease filters, V.230 / 1, Kw.0,42, Weight 116 Kg, dim.mm.2000x1300x450h

Delivery from 8 to 15 days

AIF-DSCME13/22



Central stainless steel extractor hood with motor, 2200x1300 mm

Central extractor hood stainless steel 430 with motor, with 8 labyrinth grease filters, V.230 / 1, Kw.0,42, Weight 123 Kg, dim.mm.2200x1300x450h

Delivery from 8 to 15 days

AIF-DSCME13/24



Central stainless steel extractor hood with motor.

Central extractor hood stainless steel 430 with motor, with 8 labyrinth grease filters, V.230 / 1, Kw.0,42, Weight 130 Kg, dim.mm.2400x1300x450h

2400x1300 mm

Delivery from 8 to 15 days

AIF-DSCME13/26



Central stainless steel extractor hood with motor, 2600x1300 mm

Central extractor hood stainless steel 430 with motor, with 10 labyrinth grease filters, V.230 / 1, Kw.0,42, Weight 137 Kg, dim.mm.2600x1300x450h

Delivery from 8 to 15 days

AIF-DSCME13/28



Central stainless steel extractor hood with motor, 2800x1300 mm

Central extractor hood stainless steel 430 with motor, with 10 labyrinth grease filters, V.230 / 1, Kw.0,42, Weight 144 Kg, dim.mm.2800x1300x450h

Delivery from 8 to 15 days

AIF-DSCME13/30



Central stainless steel extractor hood with motor, 3000x1300 mm

Central extractor hood stainless steel 430 with motor, with 10 labyrinth grease filters, V.230 / 1, Kw.0,42, Weight 160 Kg, dim.mm.3000x1300x450h

Delivery from 8 to 15 days

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

AIF-REM10A



Manual Speed Regulator for Hoods with Light Switch

Manual speed regulator for HOOD ASPIRATORS with light switch, V. 230/1, 50 Hz, Max 6.4 Amp. - Kw. 1.2, dim. 13x6x8.5h cm

AIF-RED10A



Speed regulator for hoods, digital with light switch

Speed regulator for HOOD Vacuums, Digital with light switch, V.230 / 1, Kw.1,00 - Hz 50-60, MAX 6.4 Ampere, Dim.mm 158x77x117h

Delivery from 4 to 9 days

Delivery from 4 to 9 days

AIF-FA6/DSCM



Delivery from 8 to 15 days

Halogen spotlights (n°6)

Halogen spotlights (n°6), for Hoods Mod: DSCME13/12 - DSCME13/14

AIF-PL2X20W/DSCM12-14



Delivery from 8 to 15 days

2x20W neon ceiling light

2x20 W neon ceiling $\overline{\text{light}},$ for hoods Mod: DSCME13/12 - DSCME13/14.

AIF-FA8/DSCM



Delivery from 8 to 15 days

Halogen spotlights (n°8)

Halogen spotlights (n°8), for Hoods Mod: DSCME13/16 - DSCME13/18

AIF-FA10/DSCM20



Delivery from 8 to 15 days

Halogen spotlights (n°10)

Halogen spotlights (n°10), for Hood Mod: DSCME13/20

AIF-PL2X20W/DSCM16-18-20



Delivery from 8 to 15 days

2x20W neon ceiling light

2x20 W neon ceiling light, for hoods Mod: DSCME13/16 - DSCME13/18 - DSCME13/20

AIF-FA10/DSCM22



Delivery from 8 to 15 days

Halogen spotlights (n°10)

Halogen spotlights (n°10), for Hood Mod: DSCME13/22



Halogen spotlights (n°12) Halogen spotlights (n°12), for Hoods Mod: DSCME13/24 - DSCME13/26 - DSCM13/28

AIF-FA16/DSCM



Delivery from 8 to 15 days

Halogen spotlights (n°16) Halogen spotlights (n°16), for Hoods Mod: DSCME13/30

AIF-PL2X20W/DSCM22



Delivery from 8 to 15 days

2x20W neon ceiling light 2x20 W neon ceiling light, for Hood Mod: DSCME13/22

AIF-PL2X40W/DSCM



Delivery from 8 to 15 days

2x40W neon ceiling light

2x40 W neon celling light, for hoods Mod: DSCME13/24 - DSCME13/26 - DSCME13/28 - DSCM13/30









