



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-GN650TN	1 Door Refrigerator Cabinet, Professional, capacity 650 litres, temp. -2°+8°C, Ventilated, ECOLOGICAL in Class C, Gas R290, Gastronorm 2/1, V.230/1, Kw.0,315, Weight 134 Kg , dim.mm.740x830x2010h	Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

1-door REFRIGERATOR CABINET, capacity 650 litres, temperature -2°/+8°C, ECOLOGICAL in Class C :

- **made of AISI 304 stainless steel ;**
- **insulation thickness 60 mm ;**
- chamber bottom with rounded corners;
- external bottom and back panels in galvanized sheet metal;
- door seal removable without tools;
- **suitable for containing Gastro-Norm 2/1 grills or containers (650x530 mm);**
- **operating temperature -2°/+8°C ;**
- **electronic temperature control with digital thermostat ;**
- anti-corrosion treated evaporator;
- **ventilated refrigeration ;**
- incorporated group;
- evaporator positioned retractably so as to have maximum available space;
- engine compartment with insulated sides;
- **ECOLOGICAL Refrigerating Group with R290 gas ;**
- **electric resistance around the door frame to eliminate condensation ;**
- **automatic defrost** with electric resistance and automatic control of the defrost temperature;
- **automatic evaporation of condensation water ;**
- maximum ambient temperature: +32°C;
- maximum ambient humidity: 55% HR;
- **interior light ;**
- door with return spring and reversible;
- door lock with key;
- **height-adjustable feet in AISI 304 stainless steel ;**
- internal dimensions 624x685x1396h mm.

Supplied :

- 3 GN 2/1 grills
- 3 pairs of guides

Accessories/Options :

- Optional adaptation kit for containing 60x40 cm grids available only for G-GN650.

CE MARK
MADE IN ASIA

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,315
net weight (Kg)	134
gross weight (Kg)	0153
breadth (mm)	740
depth (mm)	830
height (mm)	2010

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FO-A64 □	Kit of supports and guides for trays Kit of supports and guides for 600x400 mm trays	Delivery from 4 to 9 days

