



PROFESSIONAL DESCRIPTION

SUCTION and DEODORIZATION CONTROL UNITS with ACTIVATED CARBON and SYNTHETIC PRE-FILTERS, COMPLETE RANGE in THREE-PHASE version, with max flow rate from 3,000 to 12,000 m³/cubic/h:

- **air deodorization and filtration units** complete with **double inlet centrifugal fan in the version with belts and pulleys** ;
- air pre-filter type EU3 85% gravimetric;
- **cylinders with activated vegetable carbon** in 207/C type cylinders;
- **aluminum profile frame** ;
- **double paneling in galvanized sheet metal inside and stainless steel outside** ;
- double panel.

Accessories/Options:

- replacement carbon filter, diam.mm 160x400
- spare charcoal bag, weight 25 kg.

CE mark
Made in Italy

AVAILABLE MODELS

TCF475-003100



Deodorization control unit with activated carbon and 2 synthetic pre-filters, three-phase V.400/3
DEODORIZATION CONTROL UNIT with 9 CYLINDERS of vegetable activated carbon and 2 synthetic pre-filters, max flow rate 3000 m³/cubic/h, revolutions 1488, V.400/3, Kw.1.5, Weight 135 Kg, dim.mm.1460x670x750h

Delivery from 8 to 15 days

TCF475-003200

Deodorization control unit with activated carbon and 2 synthetic pre-filters, three-phase V.400/3
 DEODORIZATION CONTROL UNIT with 14 CYLINDERS of vegetable activated carbon and 2 synthetic pre-filters, max flow rate 4500 m/cubic/h, revolutions 1272, V.400/3, Kw.2.2, Weight 180 Kg, dim.mm.1510x980x750h

Delivery from 8 to 15 days

TCF475-003300

Deodorization control unit with activated carbon and 2 synthetic pre-filters, three-phase V.400/3
 DEODORIZATION CONTROL UNIT with 18 CYLINDERS of vegetable activated carbon and 2 synthetic pre-filters, max flow rate 6000 m/cubic/h, revolutions 1018, V.400/3, Kw.2.2, Weight 270 Kg, dim.mm.1690x1280x800h

Delivery from 8 to 15 days

TCF475-003400

Deodorization control unit with activated carbon and 2 synthetic pre-filters, three-phase V.400/3
 DEODORIZATION CONTROL UNIT with 23 CYLINDERS of vegetable activated carbon and 2 synthetic pre-filters, max flow rate 7500 m/cubic/h, revolutions 1072, V.400/3, Kw.3.00, Weight 310 Kg, dim.mm.1690x1590x800h

Delivery from 8 to 15 days

TCF475-003500

Deodorization control unit with activated carbon and 2 synthetic pre-filters, three-phase V.400/3
 DEODORIZATION CONTROL UNIT with 28 CYLINDERS of vegetable activated carbon and 2 synthetic pre-filters, max flow rate 9000 m/cubic/h, revolutions 884, V.400/3, Kw.3.00, Weight 340 Kg, dim.mm.1800x1280x1100h

Delivery from 8 to 15 days

TCF475-003600

Deodorization control unit with activated carbon and 2 synthetic pre-filters, three-phase V.400/3
 DEODORIZATION CONTROL UNIT with 36 CYLINDERS of vegetable activated carbon and 2 synthetic pre-filters, max flow rate 12000 m/cubic/h, revolutions 897, V.400/3, Kw.4.00, Weight 380 Kg, dim.mm.1800x1280x1350h

Delivery from 8 to 15 days

TECHNICAL CARD**CODE/PICTURES****DESCRIPTION****PRICE/DELIVERY****AIF-FCA16**

Carbon filter
 Carbon filter, diam.mm.160x400

Delivery from 4 to 9 days

AIF-SCA25

Coal sack
 Coal bag of 25 Kg

Delivery from 4 to 9 days