



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FC-M-GN1410BT-FC	2-door freezer-freezer cabinet, with monobloc, plug-in system, 1300 lt., Temp.-18°/-22°C, ECOLOGICAL in Class E, R290 gas, ventilated, Gastronorm 2/1, V.230/1 , Kw.0,815, Weight 172 Kg, dim.mm.1480x830x2010h.	Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

FREEZER-FREEZER CABINET 2 DOORS, with MONOBLOC, plug-in system, capacity 1300 litres, Temp. -18°/ -22°C, ECOLOGICAL in CLASS E :

- **made of AISI 201 stainless steel ;**
- **the M line is characterized by : Monobloc refrigeration unit - refrigeration group with plug-in system** characterized by easy and immediate installation or possible removal/replacement, quieter motor;
- **monobloc protected by stainless steel sheet ;**
- **insulation thickness 60 mm ;**
- **chamber bottom with rounded corners ;**
- external bottom panels in galvanized sheet metal;
- **interior light ;**
- **door with return spring ;**
- door **locking** with **key** ;
- door seal removable without tools;
- suitable for containing **Gastronorm 2/1 grills or containers (650x530 mm) ;**
- **ventilated refrigeration ;**
- operating temperature -18°/-22°C;
- electronic temperature control with digital thermostat;
- anti-corrosion treated evaporator;
- **ECOLOGICAL** refrigeration unit with **R290 gas** ;
- engine compartment with insulated sides;
- **electric resistance around the door frame to eliminate condensation ;**
- **automatic defrost ;**
- **automatic evaporation of** condensation water;
- maximum ambient temperature: +38°C;
- maximum ambient humidity: 60% HR;
- Height-adjustable stainless steel feet.

Supplied :

- n.3 Gastronorm 2/1 grills (650x530 mm)
- n.6 guides

CE mark

TECHNICAL CARD	
power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,815
net weight (Kg)	172
gross weight (Kg)	197
breadth (mm)	1480
depth (mm)	830
height (mm)	2010

