



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 2 DOORS, CHEST OF DRAWERS with 7 DRAWERS for BAGS , Granite Top and Ingredients SHOWCASE 330 or 380 mm DEEP, operating temperature -2°/+8°C, Class C:

- **structure in Aisi 201 stainless steel ,**
- **granite worktop** with backsplash on 3 sides,
- **2 refrigerated compartments** capable of accommodating **600x400x70h mm roll holder boxes ,**
- temperature -2°/+8°C;
- **neutral chest of drawers with 7 drawers capable of accommodating 7 loaf containers measuring 600x400x70h mm - NOT INCLUDED ,**
- **ventilated refrigeration ,**
- removable built-in group for easy maintenance,
- front panel that can be opened with a key,
- **circular flow of cold air** so as not to directly touch the product,
- **electronic temperature control with digital thermostat ,**
- **automatic defrosting** with electric resistance,
- **automatic control of the defrost temperature ;**
- **automatic evaporation of condensed water ;**
- anti-corrosion treated evaporator;
- Maximum ambient temperature: +35°C;
- Maximum ambient humidity: 50%HR;
- **ECOLOGICAL Refrigerant Group with GAS R600a ;**
- Energy CLASS C;
- insulation thickness: 60 mm;
- door with return spring;
- door seal removable without tools;
- bottom with rounded corners;
- **height-adjustable stainless steel feet ;**
- possibility to lean against the wall.

Equipped with **horizontal refrigerated Ingredients SHOWCASE** complete with glasses and refrigerating unit, **capable of containing :**

- **10 containers GN 1/4** (mm 265x162), with max height 150 mm for mod. **FC-PZ2610TN-FC33,**
- **9 containers GN 1/3** (mm 325x175), with max height 150 mm for mod. **FC-PZ2610TN-FC38.**

NB: BASINS NOT INCLUDED

Supplied:

- n 7 pairs of door guides .

CE mark

Made in ASIA

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
breadth (mm)	2020
depth (mm)	800
height (mm)	1435

AVAILABLE MODELS

FC-G-PZ2610TN-FC33



Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 330 mm deep refrigerated display case

Delivery

REFRIGERATED PIZZA COUNTER 2 DOORS + CHEST OF DRAWERS, with 33 cm deep refrigerated display case, capacity for 10 GN1/4 containers, temperature -2°/+8 °C, Ventilated, ECOLOGICAL in Class C, Gas R600a, V.230/1, Kw .0,275, weight 379 Kg, dim.mm.2020x800x1435h

FC-G-PZ2610TN-FC38



Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 380 mm deep refrigerated display case

Delivery

REFRIGERATED PIZZA COUNTER 2 DOORS + CHEST OF DRAWERS, with 380 mm deep refrigerated display case, capacity 9 GN 1/3 containers (325x175 mm), temp. - 2/+8°C, Ventilated, ECOLOGICAL in Class C, Gas R600a, V.230 /1, Kw.0,275, Weight 385 Kg, dim.mm.2020x800x1435h

