



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### PROFESSIONAL DESCRIPTION

**REFRIGERATED MEAT MINCER, with MOUTH 32, YIELD 650 Kg / h, available in SINGLE-PHASE or THREE-PHASE version :**

- **machine body entirely in AISI 304 stainless steel ;**
- **powerful self-ventilated IP 55 motors** for continuous use.
- **oil bath gearbox with ground gears ;**
- reducer with **double liquid protection system .;**
- practical mouth fixing with interlocked lever (CE);
- **high production grinding group completely in stainless steel ;**
- **neck introduction framework** for superb performance in the second pass;
- **removable interlocked hopper (CE) with neck up to the grinding area ;**
- IP 67 **stainless steel controls** with inversion (CE);
- 150 Watt **refrigeration system** with R134 gas;
- **chilling on the neck, mouth and hopper ;**

**Included :**

- plate Ø mm 4,5

**Accessories / Optionals :**

- total or partial unger mouths

**CE mark**

#### TECHNICAL CARD

<b>net weight (Kg)</b>	60
<b>gross weight (Kg)</b>	82
<b>breadth (mm)</b>	637
<b>depth (mm)</b>	455
<b>height (mm)</b>	447

#### AVAILABLE MODELS

**SI-TC32NEVADAICE/T**

**REFRIGERATED MEAT GRINDER, with 32 MOUTH,  
YIELD 650 Kg/h, V.400/3**  
REFRIGERATED MEAT GRINDER, with 32 MOUTH, YIELD  
650 Kg/h, V.400/3, Kw.2,2, Weight 60 Kg,  
dim.mm.637x455x447h



**Delivery** from 8 to 15 days

**SI-TC32NEVADAICE/M**

**REFRIGERATED MEAT MINCER, with MOUTH 32,  
YIELD 650 Kg / h, V.230 / 1**  
REFRIGERATED MEAT MINCER, with MOUTH 32, YIELD  
650 Kg / h, V.230 / 1, Kw.1.84, Weight 60 Kg,  
dim.mm.637x455x447h

**Delivery** from 8 to 15 days

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>SI-PBTC32</b> □	<b>MOUTH PROTECTION</b> Mouth protection for plates Ø > 8	<b>Delivery</b> from 4 to 9 days
<b>SI-BUP32</b> 	<b>MOUTH 1/2 UNGER</b> Mouth 1/2 unger (on stainless steel spout)	<b>Delivery</b> from 4 to 9 days
<b>SI-BUT32</b> 	<b>UNGER TOTAL MOUTH</b> Total unger mouth + stainless steel spacer	<b>Delivery</b> from 4 to 9 days






Comandi



1/2 Unger



Unger Totale



Dimensioni mm						
A	B	C	D	E	F	G
480	285	637	455	207	447	551