

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

VERTICAL HYDRAULIC SALAMI BAGGING MACHINE It. 50, available in SINGLE-PHASE and THREE-PHASE versions:

- new IDRA vertical hydraulic bagging machines count on a powerful hydraulic system that works at 120 Bar pressure;
- entirely made of stainless steel, totally removable for cleaning without the use of tools;
- lid and pad entirely in stainless steel;
- silicone gaskets that act inside the cylinder for greater seal and longer life of the gasket itself;
- hydraulic cylinder hermetic protection;
- o piston rod in stainless steel;
- $\circ~$ stainless steel cylinder , polished and rimmed, with no reverse direction;
- $\circ~$ powerful and silent ventilated~motor~at~2,800~rpm with immediate action;
- $\circ \ \ \textbf{automatic piston return} \ \text{with engine shutdown};$
- IP 67 stainless steel controls;
- high precision oil flow regulator;
- oil tank with level indicator;
- standard rubber wheels;
- o cylinder dimensions: diameter 380 mm, length 520 mm;
- o piston stroke: mm 440;
- o min.speed empty: 6 ';
- o max empty speed: 75 ";
- o piston return speed: 32 ".

Included:

• 3 funnels in food-grade polyethylene with a diameter of 10-18-25 mm

Accessories / Optionals :

- o stainless steel ferrule
- Set of 4 stainless steel funnels with a diameter of 16-20-28-38 mm

CE mark Made in Italy

TECHNICAL CARD

net weight (Kg) 145

gross weight (Kg) 160

breadth (mm) 730 depth (mm) 550 height (mm) 1250

AVAILABLE MODELS

SI-IS50IDRA/T



VERTICAL HYDRAULIC MEAT FILLER in STAINLESS STEEL, Capacity It. 50, V.400 / 3

INSACCATRICE by CARNE HYDRAULIC VERTICAL in acciaio inox, capacity lt.50, in dotazione 3 imbuti diameter 10-18-25 mm, V.400/3, Kw.0,56, Peso 160 Kg, dim.mm.730x550x1250h

Delivery from 4 to 9 days

Delivery from 4 to 9 days

SI-IS50IDRA/M



VERTICAL HYDRAULIC MEAT FILLER in STAINLESS STEEL, Capacity It. 50, V.230 / 1

INSACCATRICE by CARNE HYDRAULIC VERTICAL in acciaio inox, capacity lt.50, in dotazione 3 imbuti diameter 10-18-25 mm, V.230/1, Kw.0,56, Peso 160 Kg, dim.mm.730x550x1250h

TECHNI			
I EC. HIVI	LAL	LAK	u.

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
CODE/FICTORES	DESCRIPTION	FRICE/DELIVERT

SI-GHIERA



STAINLESS STEEL NUT

Stainless steel ferrule

Delivery from 4 to 9 days

SI-4IM



SET 4 STEEL FUNNELSSet of 4 funnels in stainless steel with a diameter of 16-20-28-38 mm

Delivery from 4 to 9 days











Azionamento spinta pistone

Ritorno pistone automatico





Particolare centralina e comandi





