



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



FORCOLD

PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 2 DOORS , Granite top and SHOWCASE Ingredients DEEP 330 or 380 mm , operating temperature -2 ° / + 8 ° C , Class C :

- **Aisi 201 stainless steel structure ,**
- **granite worktop with backsplash on 3 sides ,**
- **2 refrigerated compartments** able to accommodate **600x400x70h mm loaf boxes ,**
- **capacity lt . 390;**
- **ventilated refrigeration ,**
- **built-in unit removable** for easy maintenance,
- front panel that can be opened with a key,
- **circular flow of cold air** so as not to directly touch the product,
- **electronic temperature control with digital thermostat ,**
- electrical resistance around the door frame to eliminate condensation,
- **automatic defrost with electric resistance ,**
- **automatic control of the defrost temperature ,**
- **automatic evaporation of condensation water ,**
- anti-corrosion treated evaporator,
- **ECOLOGICAL GAS R600a ;**
- **CLASS C ;**
- insulation thickness: 60 mm;
- door with return spring,
- door gasket removable without tools,
- max ambient temperature / humidity: + 35 ° C / 50% HR;
- bottom with rounded corners,
- **height-adjustable stainless steel feet ,**
- possibility to lean against the wall.

Equipped with **horizontal refrigerated SHOWCASE** complete with glass and refrigeration unit, **capable of containing :**

- **7 GN 1/4 containers** (265x162 mm), with max height 150 mm for the Mod. **FOPZ2600TN- FC33 ,**
- **5 GN 1/3 containers** (325x175 mm) + 1 GN 1/2 (325x265 mm) with max height 150 mm for the Mod. **FOPZ2600TN- FC38 .**

Included :

- 7 pairs of guides per door

NB: BASINS NOT INCLUDED

CE mark

Made in ASIA

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
breadth (mm)	1510
depth (mm)	800
height (mm)	1400

AVAILABLE MODELS

FC-G-PZ2600TN38-FC



REFRIGERATED PIZZA COUNTER 2 DOORS, with 380 mm deep refrigerated display case
 REFRIGERATED PIZZA COUNTER 2 DOORS, refrigerated display case 380 mm deep, capacity 5 GN 1/3 containers (mm 325x175) + 1 GN 1/2 container (mm 325x265), temp. -2°/+8 °C, Ventilated, ECOLOGICAL in Class C, Kw.0,275, V.230/1, Weight 271 Kg, dim.mm.1510x800x1400h

Delivery

FC-G-PZ2600TN33-FC




REFRIGERATED PIZZA COUNTER 2 DOORS, with refrigerated display case 330 mm deep
 REFRIGERATED PIZZA COUNTER 2 DOORS, with refrigerated display case 330 mm deep, capacity 7 GN 1/4 pans (265x162 mm), temperature -2 ° / + 8 ° C, Ventilated, ECOLOGICAL in Class C, Gas R600a, Kw.0,275, V .230 / 1, Weight 267 Kg, dim.mm.1510x800x1400h

Delivery



Mod. FC-PZ2600TN-FC38 Cap. 5 bacinelle GN 1/3 + 1 GN 1/2



Mod. FC-PZ2600TN-FC33 Cap. 7 bacinelle GN 1/4