



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TCF055-0410</b>	DISHWASHER with SQUARE basket 500x500 mm, ELECTROMECHANICAL CONTROLS, 2 cycles for 30-40 baskets / hour, Max USEFUL HEIGHT 350 mm, RINSE AID dispenser, V.400 / 3 + N, Kw.5.05, Weight 49 Kg, dim. mm.572x633x814h	<b>Delivery</b> from 8 to 15 days

**PROFESSIONAL DESCRIPTION**

**DISHWASHER with SQUARE basket 500x500 mm, USEFUL height max 350 mm, output 30-40 baskets / hour, ELECTROMECHANICAL controls :**

- **partial double-walled bodywork** , which guarantees a 25% reduction in heat loss;
- completely **molded self-cleaning tank** to facilitate the flow of impurities;
- **anti-drip roof** ;
- **basket supports printed to facilitate cleaning** of the machine as well as for greater ergonomics;
- **wash and rinse arms in AISI 304 stainless steel**;
- **Thermostop system** to ensure rinsing at the right temperature for proper sanitization of the object to be washed;
- **control panel removable from the front** ;
- **predisposition of standard drain pump** ;
- **standard rinse aid dispenser** ;
- non-return valve as standard;
- **possibility to wash up to 4 GN 1/1 trays (53x32.5 cm) or 7 GN1 / 1 trays with a Max Height of 350 mm**
- **2 washing cycles of 90/120 sec** ;
- **hourly productivity : 30-40 baskets / h** ;
- **useful washing height: 350 mm** ;
- water consumption per cycle 2 lt;
- **washing pump power Kw.0,55** ;
- tank capacity: 20 lt;
- boiler capacity: 5 lt;
- tank resistance: Kw.2,4;
- boiler resistance: Kw.4,5;
- dim.mm.572x633 / 1038x814h

**Supplied :**

- 1 Basket 500 x 500 mm for 12/18 plates;
- 1 glass basket 500 x 500 m;
- 1 basket for spoons;
- 1 Water Inlet Hose (length 2 meters);
- 1 drain hose (length 2.5 meters).

**Accessories / Optionals :**

- **Drain pump** kit
- Detergent dispenser kit
- **Full tank stainless steel filters**
- **Stainless steel basket holder base** for mod. 50x50
- Basket for glasses 50x50 cm
- Basket for dishes 50x50

**CE mark**  
**Made in Italy**

TECHNICAL CARD		
	power supply	Trifase
	Volts	V 400/3 +N
	frequency (Hz)	50
	motor power capacity (Kw)	5,05
	net weight (Kg)	49
	gross weight (Kg)	57
	breadth (mm)	572
	depth (mm)	633
	height (mm)	814
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY

**TCF055-0450**



**Basket 50x50 plates**  
500x500 mm dish basket

**Delivery** from 4 to 9 days


**TCF055-0460**



**Basket 50x50 glasses**  
500x500 mm glasses basket

**Delivery** from 4 to 9 days


**TCF055-0480**



**Detergent dosing kit**  
Detergent dosing kit

**Delivery** from 4 to 9 days


**TCF055-0475**



**Tank Filter Kit**  
Tank filter kit for mod. 50x50

**Delivery** from 4 to 9 days

**TCF055-0485**



**Drain Pump Kit**  
Underbase drain pump kit



**Delivery** from 4 to 9 days

**TCF055-0470**



**Base unit for dishwasher with guides for 50x50 cm baskets**  
Stainless steel base suitable for dishwashers with basket guides cm.50x50, dim.cm.57x62x55/61h.

**Delivery** from 4 to 9 days



- (E) CAVO DI ALIMENTAZIONE  
POWER CORD SUPPLY  
CABLE D'ALIMENTATION  
CABLE DE ALIMENTACION
- (W) CANNA DI CARICO G 3/4 L=2000 mm  
G 3/4 INLET HOSE L=2000 mm  
TUBAU D'ALIMENTACIO G 3/4 L=2000 mm  
TUBO DE ALIMENTACION G 3/4 L=2000 mm
- (D) TUBO DI SCARICO Ø 29 mm L=2500 mm  
DRAIN HOSE Ø 29 mm L=2500 mm  
TUBAU DE VIDANGE Ø 29 mm L=2500 mm  
TUBO DE DESAGUE Ø 29 mm L=2500 mm
- (D-DR) TUBO DI SCARICO Ø 29 mm L=2500 mm (CON POMPA SCARICO)  
DRAIN HOSE Ø 29 mm L=2500 mm (WITH DRAIN PUMP)  
TUBAU DE VIDANGE Ø 29 mm L=2500 mm (AVEC POMPE DE VIDANGE)  
TUBO DE DESAGUE Ø 29 mm L=2500 mm (CON POMPA DE DESAGUE)