



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>CBE-15P</b>	ELECTRIC ROTISSERIE with 5 INDEPENDENT STACKING RODS for 15 CHICKENS, Possibility of PARTIAL LOAD, closed with 2 Glass Doors, weight kg 70, V. 400/3 + N, kw 8,3, dimensions cm 70,5x45x125h	<b>Delivery</b> from 8 to 15 days

**PROFESSIONAL DESCRIPTION**

**ELECTRIC ROTISSERIE with 5 independent overlapping rods:**

- made of **stainless steel** ;
- equipped with **5 single overlapping rods** for **15 chickens** ;
- hourly production of chickens in a **continuous cycle** ;
- it takes up **minimal space** , to allow **easy placement** even in the smallest spaces with the **possibility of diversifying cooking** ;
- **cooking flexibility** is obtained thanks to the **movement of the single rods** which **allows even partial use of the machine** ;
- 550 mm long **internal lighting lamp** that allows you to better **control and view** the **progress of cooking** ;
- **SUPPLIED WITH: Basin with grease drain cock** .

**OPTIONAL / ACCESSORIES:**

- **Removable stand in** stainless steel with wheels and intermediate shelf,
- **Hot ventilated showcase** with wheels,
- **Free-standing hood with labyrinth stainless steel filters** (without motor) with 200 mm diameter ceiling rose,
- **Motor kit** for hood,
- **120 minute timer** assembly,
- Skewer for Deviled **Chicken** ,
- Skewer for **Roast** ,
- Special spade **with closed basket** ,
- Special skewer **with closed basket for potatoes** ,
- **Sword** spear,
- **Long Fork** Skewer,
- Skewer for **Deviled legs** ,
- Skewer for **Porchetta**.

CE mark

Made in Italy

**TECHNICAL CARD**

<b>power supply</b>	Trifase
<b>Volts</b>	V 400/3 +N
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	8,3
<b>net weight (Kg)</b>	70
<b>breadth (mm)</b>	705
<b>depth (mm)</b>	450
<b>height (mm)</b>	1250

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>CB04040676</b>  <p>Schidone completo di forchette per girarosti elettrici con movimento ad aste singole</p>	<b>Rotisserie spit</b> Rack complete with forks for Rotisserie Mod. E-15P	<b>Delivery</b> from 4 to 9 days
<b>CB09CC0007</b> 	<b>Timer assembly</b> Assembly 120-minute timer with horn only	<b>Delivery</b> from 4 to 9 days
<b>CB14080136</b>  <p>Schidone per porchetta per girarosti elettrici con movimento ad aste singole sovrapposte</p>	<b>Rotisserie spit</b> Rotation for Porchetta for Rotisserie Mod. E-15P	<b>Delivery</b> from 4 to 9 days
<b>CB14080116</b>  <p>Schidone poli alla diavola per girarosti elettrici con movimento ad aste singole sovrapposte</p>	<b>Rotisserie spit</b> Spit for Chicken with Devil for Rotisserie Mod. E-15P	<b>Delivery</b> from 4 to 9 days

**CB14080204**



Schidone per coscette alla Diavola per girarosti elettrici con movimento ad aste singole sovrapposte

**Rotisserie spit**

Spindle for thighs with diavola for rotisserie Mod. E-15P

**Delivery** from 4 to 9 days

**CB14080115**



Schidone per arrosto per girarosti elettrici con movimento ad aste singole sovrapposte

**Rotisserie spit**

Spit for Roast for Rotisserie Mod. E-15P

**Delivery** from 4 to 9 days

**CB14080131**



Schidone speciale a cestello chiuso per girarosti elettrici con movimento ad aste singole sovrapposte

**Rotisserie spit**

Special lock with closed basket for Rotisserie Mod. E-15P

**Delivery** from 4 to 9 days

**CB14080133**



Schidone speciale a cestello chiuso per patate per girarosti elettrici con movimento ad aste singole sovrapposte

**Rotisserie spit**

Special lock with closed basket for potatoes for Rotisserie Mod. E-15P

**Delivery** from 4 to 9 days

**CB14100472**



**Countertop hood with stainless steel filters**

Countertop hood with stainless labyrinth filters (without motor) with canopy diameter 200 mm, weight 16 kg, dimensions 705x550x375h mm, for electric rotisserie mod. CBE-15P

**Delivery** from 4 to 9 days

**CB14100466**



**Warm ventilated showcase**

Hot ventilated showcase with wheels with 2 shelves, temperature from 0 to 90 ° C, V.230 / 1. 2.2 kw, weight 47 kg, dimensions 705x450x740h mm, for electric rotisserie CBE-15P

**Delivery** from 4 to 9 days