



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



| CODE | DESCRIPTION | PRICE/DELIVERY |
|--------------------|--|-----------------------------------|
| TCF055-0500 | DISHWASHER-OBJECT WASHER with 500x600 mm basket, ELECTRONIC controls, capacity for 4 GN 1/1 or mm. 600x400, 3 cycles of 90/120/180, double rinse aid+Tank Detergent dispenser, V.400/3+N, Kw.5,18, Weight 68 Kg, dim.mm.600x703x850h | Delivery from 8 to 15 days |

PROFESSIONAL DESCRIPTION

DISHWASHER-OBJECT WASHER with 500x600 mm rack, output 40-30-20 racks/hour, ELECTRONIC CONTROLS :

- **wash and rinse arms in AISI 304 stainless steel;**
- **fully molded self-cleaning tank** to facilitate the outflow of impurities;
- **possibility of washing up to 4 GN 1/1 trays** (53x32.5 cm) or **4 60x40 cm trays** (pizza/pastry);
- **multi-chromatic electronic control panel** which allows you to view the different operating stages of the dishwasher;
- **soft start of the washing pump** to prevent lighter objects from tipping over due to the initial surge of the pump;
- **Thermostop system** to ensure rinsing at the right temperature for correct sanitization of the item to be washed;
- **self-cleaning cycle** of the tank at the end of the day;
- **leak-proof roof** ;
- **control panel removable** from the front;
- **drain pump predisposition** ;
- **built-in electric rinse aid and detergent dispensers** , adjustable from the control panel;
- **standard non-return valve** ;
- **bodywork built in total double wall** which guarantees a reduction of heat dispersion of 60%;
- double-walled door;
- **n 3 washing cycles of 90/120/180 sec + continuous cycle** ;
- **hourly productivity: 40-30-20 baskets/hour** ;
- **useful washing height: 400 mm** ;
- water consumption per cycle 2 litres;
- bowl capacity: 22 l;
- boiler capacity: 5 l;
- **washing pump power Kw.0,68** ;
- tank resistance: Kw.2,4;
- boiler resistance: Kw.4,5;
- dim.mm.600x703/1143x850h.

Included :

- Basket for 4 trays/trays,
- 1 Glass/utensil basket 500 x 600 mm,
- 1 Water Inlet Hose (2 m long),
- 1 Exhaust Pipe (2.5 m long)

Accessories/Options :

- Undercounter drain pump kit,
- Stainless steel basket base for mod. 50x60,
- Basket 50x60 glasses,
- Basket 50x60 plates.

CE mark
Made in Italy

| TECHNICAL CARD | | |
|----------------|---------------------------|----------------|
| | power supply | Trifase |
| | Volts | V 400/3 +N |
| | frequency (Hz) | 50 |
| | motor power capacity (Kw) | 5,18 |
| | net weight (Kg) | 68 |
| | gross weight (Kg) | 81 |
| | breadth (mm) | 600 |
| | depth (mm) | 703 |
| | height (mm) | 850 |
| TECHNICAL CARD | | |
| CODE/PICTURES | DESCRIPTION | PRICE/DELIVERY |


TCF055-0640



CestoPiatti 50x60
Basket for dishes 50x60 cm

Delivery from 4 to 9 days

TCF055-0485



Drain Pump Kit
Underbase drain pump kit

Delivery from 4 to 9 days

TCF055-0650



50x60 Basket
Basket for glasses 50x60 cm

Delivery from 4 to 9 days

TCF055-0470



Base unit for dishwasher with guides for 50x50 cm baskets
Stainless steel base suitable for dishwashers with basket guides cm.50x50, dim.cm.57x62x55/61h.

Delivery from 4 to 9 days