




CODE	DESCRIPTION	PRICE/DELIVERY
TD-KITPIETRANEPS	Refractory stone plate, dim.mm.600x400x15	Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
TD-FEM03NEPSV 	TECNODOM - Electric CONVECTION OVEN 3 trays 600x400 mm, Professional, mod.FEM03NEPSV electric VENTILATED CONVECTION OVEN for PASTRY, capacity 3 TRAYS measuring 600x400 mm (not included), version with MANUAL CONTROLS, V.230/1, Kw.3.15, Weight 35 Kg, dim.mm.775x700x560h	Delivery from 8 to 15 days
TD-FEMG03NEPSV 	TECNODOM-Electric Convection Oven with GRILL, 3 Pastry Trays 60x40 cm, FLAP Door, mod. NERONE EKO 600 - GRILL electric VENTILATED CONVECTION OVEN with GRILL, for PASTRY, capacity 3 TRAYS measuring 600x400 mm (not included), MANUAL CONTROLS, version with FLAP DOOR, V.230/1, Kw.3.15+1.7, Weight 35 Kg, dim .mm.775x700x560h	Delivery from 8 to 15 days
TD-FEMG03NEPSDX 	TECNODOM-Electric Convection Oven 3 Trays 600x400 mm + GRILL, REVOLVING DOOR, mod. NERONE EKO 600 MECH electric VENTILATED CONVECTION OVEN with GRILL, for PASTRY, capacity 3 TRAYS measuring 600x400 mm (not included), MANUAL CONTROLS, version with REVOLVING DOOR, V.230/1, Kw.3.15+1.7, Weight 35 Kg, dim .mm.775x700x560h	Delivery from 8 to 15 days

TD-FED03NEPSV

Delivery from 8 to 15 days

Digital Electric Convection Oven, 3 Trays 600x400 mm, Digital Controls, mod.FED03NEPSV

ELECTRIC CONVECTION OVEN, capacity 3 TRAYS of mm 600x400 (excluded), DIGITAL CONTROLS, V.230 / 1, Kw.3.15, Weight 35 Kg, dim.mm.775x700x560h

TD-FED03NEPSV-PLUS

Delivery from 8 to 15 days

Enhanced Digital Electric Convection Oven, 3 Trays GN 1/1 or mm 600x400, Digital Controls

ENHANCED ELECTRIC CONVECTION OVEN, capacity 3 TRAYS Gastro-Norm 1/1 or mm 600x400 (excluded), DIGITAL CONTROLS, V.230 / 1, Kw.3,66, Weight 43 Kg, dim.mm.775x790x560h

TD-FEM04NEMIDVH20 - NERONE

Delivery from 8 to 15 days

TECNODOM-Electric Convection Oven 4 GN 1/1 Trays, MECHANICAL CONTROLS, mod. NERONE MID 4 MEC.

CONVENTION OVEN Electric Ventilated, Professional, capacity 4 Gastro-Norm trays 1/1 or 600x400 mm (not included), MECHANICAL CONTROLS, V.400/3 + N, Kw.5.45, Weight 79 Kg, dim.mm.840x910x670h

TD-FEDL04NEMIDVH20

Delivery from 8 to 15 days

TECNODOM-Digital Electric Convection-Steam Oven 4 GN 1/1 or 60x400 cm trays, mod. NERONE MID 4 DIG.

ELECTRIC CONVECTION-STEAM OVEN for GASTRONOMY and PASTRY, capacity 4 Gastro-Norm 1/1 or mm.600x400 TRAYS (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.5.45, Weight 79 Kg, dim.mm.840x910x670h

TD-FEM05NEMIDVH20 - NERONE

Delivery from 8 to 15 days

TECNODOM-Electric Convection Oven 5 GN 1/1 or 60x40 cm trays, Mechanical Controls, mod. NERONE MID 5 MEC.

CONVENTION OVEN Electric Fan-assisted, Professional, capacity 5 Gastro-Norm trays 1/1 or 600x400 mm (not included), MECHANICAL CONTROLS, V.400/3 + N, Kw.6.45, Weight 87 Kg, dim.mm.840x910x750h

TD-FEM06NEMIDVH20 - NERONE

Delivery from 8 to 15 days

TECNODOM-Electric Convection Oven 6 GN 1/1 or 60x40 cm trays, MECHANICAL CONTROLS, mod. NERONE MID 6 MEC.

CONVENTION OVEN Electric Ventilated, Professional, capacity 6 Gastro-Norm trays 1/1 or 600x400 mm (not included), MECHANICAL CONTROLS, V.400/3 + N, Kw.7.65, Weight 91 Kg, dim.mm.840x910x830h

TD-FEDL05NEMIDVH20 - NERONE

Delivery from 8 to 15 days

TECNODOM - Digital Electric Steam Convection Oven 5 Trays GN 1/1 or 60x40 cm, mod. NERONE MID 5 DIG.

Electric CONVENTION-STEAM OVEN, Fan assisted, Professional for GASTRONOMY and PASTRY, capacity 5 Gastro-Norm 1/1 or 600x400 mm trays (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.6 ,45, Weight 87 Kg, dim.mm.840x910x750h

TD-FEDL05NEMIDV-NERONE

Delivery from 8 to 15 days

TECNODOM-Digital Electric Convection Oven 5 GN 1/1 trays or 60x40 cm, mod. NERONE MID 5 DIG.

Electric CONVECTION OVEN for GASTRONOMY and PASTRY, capacity 5 Gastro-Norm 1/1 or mm.600x400 TRAYS (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.6.45, Weight 87 Kg , dim.mm.840x910x750h

TD-FEDL06NEMIDVH20 - NERONE

Delivery from 8 to 15 days

TECNODOM - Electric STEAM CONVECTION OVEN for 6 GN 1/1 trays (mm325x530), mod. FEDL06NEMIDVH20

Electric CONVENTION-STEAM OVEN Ventilated, Professional for GASTRONOMY, capacity 6 Gastro-Norm 1/1 or mm.600x400 TRAYS (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.7.65, Weight 91 Kg, dim.mm.840x910x830h

TD-FEDL06NEMIDV-NERONE**TECNODOM-Electric Convection Oven for 6 GN 1/1 or 600x400 cm trays, mod. NERONE MID 6 DIG.**

ELECTRIC CONVECTION OVEN for GASTRONOMY and PASTRY, capacity 6 Gastro-Norm 1/1 or mm.600x400 TRAYS (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.7.65, Weight 91 Kg , dim.mm.840x910x830h

Delivery from 8 to 15 days

TD-FEDL07NEMIDVH2O - NERONE**TECNODOM - Digital Electric Steam Convection Oven 7 Trays GN 1/1, mod. FEDL07NEMIDVH2O**

CONVENTION-STEAM Electric Ventilated OVEN, Professional for GASTRONOMY and PASTRY, capacity 7 Gastro-Norm 1/1 or mm.600x400 TRAYS (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.10, 7, weight 106 kg, dim.mm.840x910x930h

Delivery from 8 to 15 days

TD-FEDL07NEMIDV-NERONE**TECNODOM-Digital Electric Convection Oven 7 GN 1/1 or 60x40 cm trays, mod. NERONE MID 7 DIG.**

Electric CONVECTION OVEN for GASTRONOMY and PASTRY, capacity 7 Gastro-Norm 1/1 or mm.600x400 TRAYS (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.10.7, Weight 106 Kg , dim.mm.840x910x930h

Delivery from 8 to 15 days

TD-FEDL10NEMIDVH2O - NERONE**Digital Electric Steam Convection Oven, 10 GN 1/1 trays, mod FEDL10NEMIDVH2O.**

Electric CONVENTION-STEAM OVEN Ventilated, Professional for GASTRONOMY and PASTRY, capacity 10 Gastro-Norm 1/1 or mm.600x400 TRAYS (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.12, 7, weight 127 kg, dim.mm.840x910x1150h

Delivery from 4 to 9 days

TD-FEDL10NEMIDV-NERONE**TECNODOM-Digital Electric Convection Oven, 10 GN 1/1 or 60x40 cm trays, mod. NERONE MID 10 DIG.**

Electric CONVECTION OVEN for GASTRONOMY and PASTRY, capacity 10 Gastro-Norm 1/1 or mm.600x400 TRAYS (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.12.7, Weight 127 Kg , dim.mm.840x910x1150h

Delivery from 4 to 9 days