



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>BS-E9P4P/VTR+FE</b>	ELECTRIC COOKER 4 INFRARED ZONES on ELECTRIC OVEN GN 2/1, BERTOS MAXIMA 900 line, INFRARED Series, with 4 SQUARE ZONES measuring 270x270 mm, INDEPENDENT CONTROLS, V.400/3+N, Tot. Kw.23.5, Weight 118 Kg, dim.mm.800x900x900h	
PROFESSIONAL DESCRIPTION		

**ELECTRIC COOKER with 4 INFRARED ZONES on ELECTRIC OVEN GN 2/1 (mm 530x650), MAXIMA 900 Line, INFRARED Series :**

- **worktop and front and side panels in AISI 304 stainless steel ;**
- stainless steel interior;
- **6 mm thick glass ceramic top ;**
- **perfectly smooth surface** which guarantees quick cleaning, in just a few gestures and in a few minutes, without the use of aggressive detergents;
- **electrical resistors capable of reaching high temperatures (500 °C) heat the hob by radiation ;**
- **heating circuit with a square area of 300 x 300 mm and 4 kW power ;**
- **cooking zone power n°x Kw : 4 x 4 ;**
- **the areas are highlighted by special silk-screen printing** which allows correct positioning of the pans,
- after each individual zone is turned off, a **light signals the residual heat up to 60 °C** , to safeguard the operator's safety;
- **electric oven** with incoloy stainless steel heating elements with increased diameter;
- **grill with salamander function in the upper part** and **thermostat** that allows accurate **temperature regulation from 50 to 270 °C ;**
- **oven chamber in AISI 430** , with 4-level supports and pressed and ribbed stainless steel inner door;
- **oven power : 7.5 kW ;**
- oven electrical voltage: 380-415V/3N/50-60Hz;
- **capacity 4 GN 2/1 trays** (530x6540 mm);
- **line indicator and temperature indicator ;**
- high-resistance handle in AISI 304 stainless steel, thickness 20/10 ;
- **2 year warranty .**

**Accessories/Options :**

- grill for GN 2/1 kitchen oven

**CE mark**

**Made in Italy**




**TECHNICAL CARD**

<b>power supply</b>	Trifase
<b>Volts</b>	V 400/3 +N
<b>frequency (Hz)</b>	50
<b>net weight (Kg)</b>	118
<b>breadth (mm)</b>	800
<b>depth (mm)</b>	900
<b>height (mm)</b>	900





MAXIMA 900

	n.	4
	mm	270 x 270
	kW	4
	GN	2/1
	mm	530 x 650 x 4 pos.
	kW	7,5 (4,5 + 3)
TOT.		
380-415 V3N~ 50/60 Hz		
	TOT.	
	kW	23,5
	Kg	118

