

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

PROFESSIONAL MEAT MINCER 'TYPE 22' production 250 kg/h, FIMAR brand:

- polished aluminum structure ;
- $\circ~$ hopper and molds in stainless steel ;
- grinding unit in REMOVABLE ALUMINUM;
- \circ meat inlet mouth 'Type 22', diameter 52 mm ;
- reduction gear with oil bath gears;

Supplied:

- Stainless steel mold 82 mm diameter with 6 mm diameter holes
- $\circ\,$ self-sharpening stainless steel knife .

Optional:

reverse.

Accessories:

- o perforated plates and knives
- $\circ~$ funnels for stuffing diameter 15 mm 20 mm 30 mm
- o tomato press for vegetable purées.

CE standards Made in Italy

TECHNICAL CARD	
motor power capacity (Kw)	1,1
net weight (Kg)	25
gross weight (Kg)	27
breadth (mm)	450
depth (mm)	290
height (mm)	520

AVAILABLE MODELS

FM22SN-T/G



Type 22 Meat Grinder, Extractable Cast Iron Meat Grinding Group, Output 300 Kg / hour, Threephase V. 380/3 + N

phase V. 380/3 + N
Meat mincer 'TYPE 22', with loading MOUTH diameter 52 mm, YIELD 300 Kg / h, Meat grinding unit in REMOVABLE cast iron, THREE-PHASE V. 380/3 + N, Kw 1,1, dim.mm.450x290x520h

Delivery from 4 to 9 days

FM22SN-M/G



Meat mincer Type 22, Meat mincing unit Extractable Cast Iron, Output 300 Kg / hour, Single-phase V. 230/1

Meat mincer 'TYPE 22', with loading MOUTH diameter 52 mm, YIELD 300 Kg / h, Meat grinding unit in extractable cast iron, SINGLE PHASE V. 230/1, Kw 1,1 dim.mm.450x290x520h

Delivery from 4 to 9 days

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

FM-COLTELLO22



FIMAR - Technochef - Spare knife in stainless steel, Mod.22

Stainless steel spare knife for meat mincer Mod.22

Delivery from 4 to 9 days

FM-STAMPO22/45



FIMAR - Technochef - Perforated stainless steel mold Ø 4.5 mm, Mod.22

Perforated stainless steel mold, 82 mm diameter, for Mod.22 meat grinder - with 4.5 mm diameter holes

Delivery from 4 to 9 days

FM-STAMPO22/6



FIMAR - Technochef - Perforated stainless steel mold \varnothing 6 mm, Mod.22

Perforated stainless steel mold, 82 mm diameter, for mincer Mod.22 - with 6 mm diameter holes

Delivery from 4 to 9 days

FM-STAMPO22/8



FIMAR - Technochef - Perforated stainless steel mold \emptyset 8 mm, Mod.22

Perforated stainless steel mold, 82 mm diameter, for mincer Mod.22 - with 8 mm diameter holes

Delivery from 4 to 9 days

FM-STAMPO22/3



FIMAR - Technochef - Perforated stainless steel mold Ø 3 mm, Mod.22

Perforated stainless steel mold, 82 mm diameter, for mincer Mod.22 - with 3 mm diameter holes

Delivery from 4 to 9 days

FM-STAMPO22/35



FIMAR - Technochef - Perforated stainless steel mold Ø 3.5 mm, Mod.22

Perforated stainless steel mold, 82 mm diameter, for mincer Mod.22 - with 3.5 mm diameter holes

Delivery from 4 to 9 days

FM-STAMPO22/2

Delivery from 4 to 9 days



FIMAR - Technochef - Perforated stainless steel mold Ø 2 mm, Mod.22 Perforated stainless steel mold, 82 mm diameter, for Mod.22 meat grinder - with 2 mm diameter holes

FM-INVERSIONE

Reverse Reverse

Delivery from 4 to 9 days