



CODE	DESCRIPTION	PRICE/DELIVERY
CBE-P10-5(30P)	ELECTRIC PLANETARY ROTISSERIE countertop in STAINLESS STEEL with 5 AUCTIONS for 30 CHICKENS, equipped with 1000 mm long internal light, weight 123 kg, V.400 / 3 + N. kw 9,5, dimensions mm 1300x660x790h	Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

G IRARROSTO PLANETARY counter ELECTRIC:











- made of **stainless steel** ;
- equipped with **5 rods** for a total of **30 chickens** ;
- hourly production of chickens in a **continuous cycle** ;
- it takes up **minimal space** , to allow **easy placement** even in the smallest spaces with the **possibility of diversifying cooking** ;
- equipped with n. **3 electric resistances made of 'incoloid' material** positioned in the upper part of the rotisserie, and inserted in a special parable which, reflecting the infrared, gives the product a **perfect browning and cooking** ;
- 1000 mm long **internal lighting lamp** that allows you to better **control and view the progress of cooking** ;
- **supplied with: basin with grease discharge tap.**

OPTIONAL / ACCESSORIES:

- **Removable** stainless steel stand with wheels and intermediate shelf,
- **Hot** ventilated **showcase** with wheels,
- **Free-standing hood** with stainless steel filters,
- Skewer complete with **forks** ,
- Skewer for Deviled **Chicken** ,
- Skewer for **Roast** ,
- Special spade **with tilting basket** ,
- Special spade **with closed basket** ,
- Special skewer **with closed basket for potatoes** ,
- **Sword** spear,
- **Long Fork** Skewer,
- Skewer for **Deviled legs** ,
- **Porchetta** fork,
- **12 kw upgrade kit**,
- 120 minute **timer** ,
- Analog **thermometer** .

power supply	Trifase
Volts	V 400/3 +N
frequency (Hz)	50
motor power capacity (Kw)	9,5
net weight (Kg)	123
breadth (mm)	1300
depth (mm)	660
height (mm)	790

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
CB04040877  <p>Schidone completo di forchette</p>	Rotisserie spit Rack complete with forks for Rotisserie Mod. P10 / 4	Delivery from 4 to 9 days
CB09CC0006  <p>Montaggio timer 120 min.</p>	Rotisserie timer 120 minutes timer installation	Delivery from 4 to 9 days
CB09CC0009  <p>Termometro analogico 0-350°C</p>	Rotisserie thermometer Assembly of analog thermometer 0-350 ° C	Delivery from 4 to 9 days
CB14080005  <p>Schidone polli alla diavola per girarosti</p>	Rotisserie spit Spit for Chicken with Devil for Rotisserie Mod. P10 / 4	Delivery from 4 to 9 days
CB14080201  <p>Schidone per coscette alla Diavola per girarosti</p>	Rotisserie spit Spit for thighs with diavola for rotisserie Mod. P10 / 4	Delivery from 4 to 9 days
CB14080007  <p>Schidone per arrosto per girarosti</p>	Rotisserie spit Spit for Roast for Rotisserie Mod. P10 / 4	Delivery from 4 to 9 days
CB14080040  <p>Schidone speciale a cestello chiuso per girarosti</p>	Rotisserie spit Special lock with closed basket for Rotisserie Mod. P10 / 4	Delivery from 4 to 9 days
CB14080110  <p>Schidone speciale a cestello chiuso per patate</p>	Rotisserie spit Special lock with closed basket for potatoes for Rotisserie Mod. P10 / 4	Delivery from 4 to 9 days
CBPOTZ12KW 	Upgrade kit 12 kw Power Kit for Rotisserie Mod. P10 / 4	Delivery from 4 to 9 days
CB 14100309 	Removable stainless steel stand Removable stainless steel stand with wheels and intermediate shelf for mod. 24 / 30P, weight 34 kg, dimensions mm 1300x660x905h	Delivery from 4 to 9 days

CB14100449



Delivery from 4 to 9 days

Countertop hood with stainless steel filters

Countertop hood with stainless labyrinth filters (without motor) with canopy diameter 200 mm, weight 34 kg, dimensions 1008x860x400h mm

CB14100131



Delivery from 4 to 9 days

Hot ventilated showcase with wheels

Hot ventilated showcase with wheels, temperature from 0 to 90 ° C, V.230 / 1. 2.2 kw, weight 83 kg, dimensions 1300x660x955h mm