



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



| CODE                  | DESCRIPTION   | PRICE/DELIVERY                    |
|-----------------------|---|-----------------------------------|
| <b>ML-KICPVX40MLT</b> | 1 door refrigerated cabinet, MONDIAL FRAMEC, external structure in AISI 430 stainless steel sheet, capacity 380 litres, temperature -2°/+10°C, ventilated with finned pack evaporator, Class D, V. 230/1, Kw. 0.16, weight 84.50 kg, dim.mm.600x620x1872h | <b>Delivery</b> from 8 to 15 days |

#### PROFESSIONAL DESCRIPTION

**1 door FRIDGE CABINET, MONDIAL FRAMEC, capacity 380 litres, temperature -2°/+10°C, Class D :**

- **cabinet in AISI 430 stainless steel sheet ;**
- **thermoformed plastic tub** compliant with food standards;
- blind door with magnetic seal;
- **ventilated finned pack evaporator ;**
- static wire condensing system (with stirrer);
- **electronic thermostat-thermometer with automatic defrost ;**
- **operating temperature -2°/+10° C ;**
- door lock;
- 2 adjustable feet;
- **refrigerant gas** : R134a/R600a;
- **energy class** : D;
- **climate class** : 4 (30°C-55%RH);
- **net volume** : 253 litres;
- **gross volume** : 380 litres;
- **consumption** : 2.63 kWh/24h.

**Supplied :**

- n.4 removable shelves + n.1 tub bottom

**CE mark**




**Made in Italy**

#### TECHNICAL CARD

**power supply** | Monofase

|                                  |         |
|----------------------------------|---------|
| <b>Volts</b>                     | V 230/1 |
| <b>frequency (Hz)</b>            | 50      |
| <b>motor power capacity (Kw)</b> | 0,16    |
| <b>net weight (Kg)</b>           | 84,50   |
| <b>gross weight (Kg)</b>         | 86      |
| <b>breadth (mm)</b>              | 600     |
| <b>depth (mm)</b>                | 620     |
| <b>height (mm)</b>               | 1872    |

#### TECHNICAL CARD

| CODE/PICTURES   | DESCRIPTION   | PRICE/DELIVERY                   |
|---|---|----------------------------------|
| <b>ML-8998389F</b><br>   | <b>Door opening pedal for Refrigerators and Freezers Mod.KIC 40</b><br>Door opening pedal for Refrigerators and Freezers Mod.KIC 40 | <b>Delivery</b> from 4 to 9 days |
| <b>ML-8998100F</b><br>   | <b>Kit 4 feet high</b><br>Kit 4 feet high   | <b>Delivery</b> from 4 to 9 days |
| <b>ML-8998099F</b><br> | <b>Kit 4 pivoting wheels (2 with brake)</b><br>Kit with 4 pivoting wheels, 2 of which with brake                                    | <b>Delivery</b> from 4 to 9 days |