



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



TECHNOCHEF.IT

CODE	DESCRIPTION	PRICE/DELIVERY
<b>BS-E7F10-8MS</b>	ELECTRIC FRYER on MOBILE, BERTOS, MACROS 700 Line, TURBO Series - HIGH POWER, 2 INDEPENDENT TANKS of 10+10 litres, POWERED version, V.400/3+N, Kw.18.00, Weight 63 Kg, dim. mm.800x700x900h	

#### PROFESSIONAL DESCRIPTION

**ELECTRIC FRYER on MOBILE, MACROS 700 Line, TURBO - HIGH POWER Series, 2 INDEPENDENT TANKS of 10+10 litres, ENHANCED version :**

- **tub top** and **front panels** in **AISI 304 stainless steel** ;
- **2 molded** and **rounded** tanks equipped with **independent controls** and special highly durable Incoloy stainless steel rotating heaters which can reach the working temperature in a very short time, allowing for an oil saving of 60%;
- **The frying system** , **preserving the organoleptic characteristics of the oil unaltered** , **allows you to cook in a healthy way** by limiting the number of oil changes, with a notable final saving;
- the rotation of the resistance facilitates cleaning operations;
- control of the set temperature via **thermostat adjustable up to 190 °C** and safety thermostat with manual reset;
- **average frying time 4 minutes** ;
- preheating 4-6 minutes (20 to 190°C);
- **maximum production 60 kg/h** ;
- adjustable feet;
- **24 month warranty** .

#### Supplied:

- n.2 whole baskets

#### CE mark






Made in Italy

#### TECHNICAL CARD

<b>power supply</b>	Trifase
<b>Volts</b>	V 400/3 +N
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	18,00
<b>net weight (Kg)</b>	63

breadth (mm)	800
depth (mm)	700
height (mm)	900



	L	10+10
	mm	340 x 225 x 200 h (x2)
	mm	275 x 200 x 110 h (x2)
	TOT kW	6x2 (E7F10-8B, E7F10-8M)
	kW	9x2 (E7F10-8BS, E7F10-8MS)
	VOLT	380 - 415 V3N~



Macros 700

