



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>SL-CPG520V/S</b>	Combined Showcase for Ice Cream / Pastry 2 Doors, temp. -15 ° -25 ° C / + 4 ° + 10 ° C, Curve Line, 4 display sides, 3 grid shelves + 3 glass shelves, ventilated / static refrigeration, capacity lt .230 + 260, V.230 / 1, Kw.0.37 + 0.42, dim.mm.810x620x1925h	
<b>PROFESSIONAL DESCRIPTION</b>		

**COMBINED SHOWCASE for ICE CREAM / PASTRY, CURVE Line, with 4 display sides and 3 grid shelves + 3 glass shelves, VENTILATED / STATIC refrigeration, temperature -15 ° -25 ° C / + 4 ° + 10 ° C :**

- **external structure in silver anodized aluminum ;**
- showcase built using **insulating double glazing** , compliant with the EN UNI 1279 standard;
- **exposure on 4 sides ;**
- **3 GRILLED SHELVES** of mm 665x420 + **3 GLASS SHELVES** of mm 670x460 ;
- **capacity 230 + 260 lt ;**
- **operating temperature -15 ° -25 ° C / + 4 ° + 10 ° C ;**
- **2 " sensitive touch " control panels** with a unique and exclusive design, the result of a long study of information technology and design;
- **ventilated / static refrigeration ;**
- automatic / manual defrost;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- lumen / meter: 4 x 1200 lm;
- humidity: 40% - 75%;
- **compressors** and the **touch screen thermostat** are of the **latest generation**, guaranteeing **high efficiency** and **low absorption** , with considerable advantages for the operating economy;
- **accuracy , solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, able to satisfy all types of use, where robustness and reliability come together in the sign of tradition;
- thanks to these refrigerated display cases for pastry and ice cream you can combine solidity and display elegance with the reliability of a made in Italy product.

**Accessories / Optionals :**

- lock with key
- glass shelf
- support kit for glass and grids
- suction cups kit
- adjustable feet kit
- mirror glass
- additional led
- wooden crate packaging
- finishes and colors: RAL of your choice

**CE mark**

**Made in Italy**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,79
<b>net weight (Kg)</b>	224
<b>gross weight (Kg)</b>	235
<b>breadth (mm)</b>	810
<b>depth (mm)</b>	620
<b>height (mm)</b>	1925

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>SL-KV</b> ◻	<b>Suction Cups Kit</b> Suction cups kit (N.4)	
<b>SL-KSVG</b> ◻	<b>Support kit for glass and grids</b> Support kit for glass and grilles (N.4)	
<b>SL-KP25/80</b> ◻	<b>Adjustable Feet Kit</b> Adjustable feet kit	
<b>SL-LED</b> ◻	<b>Additional Led</b> Additional led	
<b>SL-CC70/90/12</b> ◻	<b>Key closure</b> Lock with key	
<b>SL-VSP52/80</b> ◻	<b>Mirror glass</b> Mirror glass (N.1)	
<b>SL-IMLEG52/80</b> ◻	<b>Wooden case packing</b> Wooden crate packaging	

## SL-RAL



## Finish and Colors

Ral of your choice



Curve

CPG 520 V/S



-15°-25° C  
+4°+10° C



40% - 75%  
Umidità



4 x 1200



AUTO

Sbrinamento manuale e  
Sbrinamento automatico



T+

Refrigerazione ventilata e  
Refrigerazione Statica T° Positiva



230 V - 50



LAYOUT



VOLUME lt

230+260

RIPIANI


3 (665 x 420) 3 (670 x 460)

DIMENSIONI mm - kg


810 x 620 x 1925 - 224

COMPRESSORE

370 + 420 Watt



520 V/S



VISTA LATERALE  
Side view / Seitenansicht / Vue latérale