

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



CODE		DESCRIPTION	PRICE/DELIVERY
FA-FM400VV		Motor block Mixer suitable for tools from 300 to 500 mm: mixer, homogenizer and whisk, Linea Light, variable speed from 2,000 / 9,000 to 15,000 rpm, V.230 / 1, Kw.0.4, Weight 2.15 Kg , dim.mm \emptyset 100x350h	Delivery from 4 to 9 days
PROFESSIONAL DESCRIPTION			

Professional MIXER MOTOR BODY suitable for tools from 300 to 500 mm , Variable Speed , LIGHT Line :

- body made of plastic with innovative design;
- low weight and easy to use machinery;
- the parts in contact with food are in stainless steel (INOX);
- ventilated engine of national production;
- thermal motor protection;
- ergonomic handle for greater comfort of use;
- liquid crystal display;
- 9-speed regulator;
- $\circ\,$ SRS (self-regulating-speed) electronic speed and power stabilization system ;
- o connection joints in high-strength polymer;
- $\circ~$ variable speed from 2,000 / 9,000 to max 15,000 rpm ;
- bayonet mixer connection;
- $\circ\;$ appliance certified by a control body.

Accessories / Optional :

- o mixer 300 mm
- 400 mm mixer
- o 500 mm mixer
- o homogenizer 300 mm
- o 400 mm homogenizer
- 500 mm homogenizer
- light whisk
- wall mount for combi
- pot support

CE MARK MADE IN ITALY

TECHNICAL CARD power supply Monofase Volts V 230/1 frequency (Hz) 50 motor power capacity (Kw) 0,4

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

FA-FSPC



Delivery from 4 to 9 days

Fame - Wall Mount for Combi, Mod. FSPCWall mount for professional immersion mixer combined.

FA-FM300L



Fama - 300 mm MIXER tool for immersion mixer Linea Light, Mod.FM300L

300 mm long stainless steel mixer suitable for Professional Mixer Motor Body Mod. 300VV - 400VV -500VV, Weight 0,9 Kg. Delivery from 4 to 9 days

FA-FM400L



Fama - 400 mm MIXER Tool for Linea Light immersion mixer, Mod.FM400L $\,$

400 mm long stainless steel mixer suitable for Professional Mixer Engine Block Mod. 300VV - 400VV -500VV, Weight 1.1 Kg.

Delivery from 4 to 9 days

FA-FM500L



Fama - 500 mm MIXER Tool for immersion mixer Linea Light, Mod.FM500L

500 mm long stainless steel mixer suitable for Professional Mixer Motor Block Mod.500VV - 400VV -500VV, Weight 1,25 Kg. Delivery from 4 to 9 days

FA-FAFL



Fama - FRUSTA Light tool for immersion mixer, Mod. FAFL

Stainless steel whisk suitable for Professional Mixer Motor Block Mod.300VV - 400VV - 500VV, Weight 1.00 Kg. Delivery from 4 to 9 days

FA-FSP400



Delivery from 4 to 9 days

Fama - Pan Support Ø max 400 mm, Mod.FSP400 Pot support with a maximum diameter of 400 mm.

FA-FSP600



Delivery from 4 to 9 days

Fama - Pan Support Ø max 600 mm, Mod.FSP600 Pot support with a maximum diameter of 600 mm.

FA-FO300L



Fama - 300mm HOMOGENIZER-CRUSH-MACHINE tool for immersion mixer Linea Light, Mod.FO300L

Stainless steel homogenizer 300 mm long suitable for Professional Mixer Engine Block Mod.300VV - 400VV - 500VV, Weight 0,85 Kg.

Delivery from 4 to 9 days

FA-FO400L



Fama - 400 mm HOMOGENIZER-CRUSH-MACHINE

tool for immersion mixer Linea Light, Mod.FO400L Stainless steel homogenizer 400 mm long suitable for Professional Mixer Motor Block Mod.300VV - 400VV - 500VV, Weight 1.0 Kg.

Delivery from 4 to 9 days

FA-FO500L



Delivery

Fama - 500mm OMOGENIZER-CRUSH-CUTTER tool for immersion mixer Linea Light, Mod.F0500L 500 mm long stainless steel homogenizer suitable for Professional Mixer Motor Block Mod.300VV - 400VV - 500VV, Weight 1,20 Kg.

Delivery from 4 to 9 days

FA-FSP800



Fama - Pan Support Ø max 800 mm, Mod.FSP800 Pot support with a maximum diameter of 800 mm.

Delivery from 4 to 9 days

FA-FSP1000



Fama - Pan Support Ø max 1000 mm, Mod. FSP1000

Pot holder with max diameter 1000 mm.

Delivery from 4 to 9 days

FA-FSP1200



Fama - Pan Support Ø max 1200 mm, Mod.FSP1200 Pot support with a maximum diameter of 1200 mm. **Delivery** from 4 to 9 days















