



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FA-FM650VV</b>	Engine block Mixer suitable for tools from 300 to 600 mm: mixer, homogenizer and whisk, Heavy Line, variable speed from 2,000 / 9,000 to 13,000 rpm, V.230 / 1, Kw.0,65, Weight 3.9 Kg , dim.mm Ø 130x400h	<b>Delivery</b> from 4 to 9 days
PROFESSIONAL DESCRIPTION		


Professional MIXER MOTOR BLOCK suitable for tools from 300 to 600 m , Variable Speed , HEAVY Line :

- **motor block in stainless steel** ;
- ventilated engine of national production;
- thermal motor protection;
- **ergonomic handle** for greater comfort of use;
- **liquid crystal display** ;
- **9-speed regulator** ;
- **SRS** (self-regulating-speed) **electronic speed** and **power stabilization system** ;
- **variable speed from 2,000 / 9,000 to 13,000 rpm max** ;
- connection joints in high-strength polymer;
- motor body size 130 mm diameter, 400 mm height;
- screw mixer coupling;
- appliance certified by a control body.

Accessories / Optionals :

- 300 mm mixer
- 400 mm mixer
- 500 mm mixer
- 600 mm mixer
- 300 mm homogenizer
- 400 mm homogenizer
- 500 mm homogenizer
- 600 mm homogenizer
- Heavy whip
- Single wall support
- Combi wall support
- Pot support with a maximum diameter of 400 mm
- Pot support with a maximum diameter of 600 mm
- Pot support with a maximum diameter of 800 mm
- Pot holder with max diameter 1000 mm
- Pot support with a maximum diameter of 1200 mm

CE MARK  
MADE IN ITALY

TECHNICAL CARD		
power supply		Monofase
Volts		V 230/1
frequency (Hz)		50
motor power capacity (Kw)		0,65
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<div>FA-FSPS</div> <div></div>	<div>Fame - Single Wall Support, Mod. FSPS</div> <div>Single wall support for Heavy Line immersion mixer</div>	<div>Delivery from 4 to 9 days</div>

**FA-FSPC****Delivery** from 4 to 9 days**Fame - Wall Mount for Combi, Mod. FSPC**

Wall mount for professional immersion mixer combined.

**FA-FM300****Delivery** from 4 to 9 days**Fama - 300 mm MIXER tool for the Heavy Line immersion mixer, Mod.FM300**

300 mm long stainless steel mixer suitable for Professional Mixer Engine Block Mod. 350/450/550/650 VV and VF, Weight 1.3 Kg.

**FA-FM400****Delivery** from 4 to 9 days**Fama - MIXER tool from 400 mm for the Heavy Line immersion mixer, Mod. FM400**

400 mm long stainless steel mixer suitable for Professional Mixer Motor Block Mod.350 / 450/550/650 VV and VF, Weight 1.5 Kg.

**FA-FM500****Delivery** from 4 to 9 days**Fama - 500 mm MIXER Tool for Heavy Line immersion mixer, Mod. FM500**

500 mm long stainless steel mixer suitable for Professional Mixer Engine Block Mod.350 / 450/550/650 VV and VF, Weight 1,75 Kg.

**FA-FM600****Delivery** from 4 to 9 days**Fama - 600 mm MIXER tool for the Heavy Line immersion mixer, Mod.FM600**

600 mm long stainless steel mixer suitable for Professional Mixer Engine Block Mod.350 / 450/550/650 VV and VF, Weight 1.95 Kg.

**FA-FAF****Delivery** from 4 to 9 days**Fama - FRUSTA Heavy tool for immersion mixer, Mod.FAF**

Stainless steel whisk suitable for Professional Mixer Engine Block Mod.350 / 450/550/650 VV, Weight 1.05 Kg.

**FA-FSP400****Delivery** from 4 to 9 days**Fama - Pan Support Ø max 400 mm, Mod.FSP400**

Pot support with a maximum diameter of 400 mm.

**FA-FSP600****Delivery** from 4 to 9 days**Fama - Pan Support Ø max 600 mm, Mod.FSP600**

Pot support with a maximum diameter of 600 mm.

**FA-FO300****Delivery** from 4 to 9 days**Fama - 300 m MIXER tool for Heavy Line immersion mixer, Mod.FO300**

300 mm long stainless steel homogenizer suitable for Professional Mixer Engine Block Mod. 350/450/550/650 VV and VF, Weight 1.2 Kg.

**FA-FO400****Delivery** from 4 to 9 days**Fame - 400 mm HOMOGENIZER-CRUSH-MACHINE tool for immersion mixer, Mod.FO400**

Stainless steel homogenizer 400 mm long suitable for Professional Mixer Engine Block Mod.350 / 450/550/650 VV and VF, Heavy Line, Weight 1.45 Kg.

**FA-FSP800****Delivery** from 4 to 9 days**Fama - Pan Support Ø max 800 mm, Mod.FSP800**

Pot support with a maximum diameter of 800 mm.

**FA-FSP1000****Delivery** from 4 to 9 days**Fama - Pan Support Ø max 1000 mm, Mod.FSP1000**

Pot holder with max diameter 1000 mm.

**FA-FSP1200****Delivery** from 4 to 9 days**Fama - Pan Support Ø max 1200 mm, Mod.FSP1200**

Pot support with a maximum diameter of 1200 mm.

**FA-FO500****Delivery** from 4 to 9 days**Fame - Tool - 500 mm OMOGEINIZZATORE-FRANTUMATORE, for Immersion Mixer Mod.FO500**

500 mm long stainless steel homogenizer-Crusher suitable for Professional Mixer Engine Block Mod. 350/450/550/650 VV and VF, Weight 1,65 Kg.

**FA-FO600****Delivery** from 4 to 9 days**Fama - 600 mm HOMOGENIZER-CRUSH-CUTTER tool for Heavy Line immersion mixer, Mod.FO600**

Stainless steel homogenizer 600 mm long suitable for Professional Mixer Engine Block Mod.350 / 450/550/650 VV and VF, Weight 1.90 Kg.













TECHNOCHEF.IT



## MESCOLATORI Heavy

mm. 300



FM 300  
30/60 Lt.

mm. 400



FM 400  
80/120 Lt.

mm. 500



FM 500  
150/230 Lt.

mm. 600



FM 600  
250/330 Lt.

mm. 360





## OMOGENEIZZATORI Heavy

mm. 300



FO300

mm.400



FO400

mm.500




FO500

mm. 600



FO600



A Ø

A mm ø130  
B mm 400