



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF322-001400	STAINLESS STEEL DISHWASHER SQUARE mm.500x500 basket, front loading, DIGITAL controls, 4 cycles of 90/120/150/180 sec, max height of glasses 32 cm - plates 35 cm, with rinse aid and tank detergent dispenser, V. 230/1, kW 3.12, Weight 69 Kg, dim.mm.585x610x815h	Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

DISHWASHER-GLASSWASHER with SQUARE RACK mm. 500x500, yield max n°40 baskets/hour, DIGITAL CONTROLS:

- **Body made entirely of AISI 304 steel ;**
- **Digital electronic** controls with display,
- **4 wash cycles of 90/120/150/180 seconds ,**
- **Max useful height: plates 350 mm ,**
- **Useful passage for glasses max 320 mm high ,**
- **Stainless steel LOWER and UPPER washing impeller** diameter 18 mm. with forged helical jets,
- **Stainless steel LOWER and UPPER rinse impellers** with **adjustable rotation speed ,**
- **Electric** washing **detergent dispenser** programmable from the display,
- **Electric rinse aid dispenser** programmable from the display,
- Stainless steel washing detergent injector welded on the tank,
- Filter group in the tank for suction and discharge,
- Electrical **predisposition** for **drain pump ,**
- **Control system via electronic card** with simple and **extremely efficient Dip-Switch,**
- **Setting and controlling the wash and rinse temperatures ,**
- Adjustable **Thermostop function** that guarantees better results,
- **Display showing temperatures and selected wash cycle ,**
- **Smart Start Button ,**
- **Self-diagnosis system ,**
- The electronic control allows you to manage various parameters to give you a great level of customization according to your needs while the self-diagnosis allows you to reduce machine stops to a minimum by already suggesting some simple operations to perform to resolve the situation.
- **Notice of Scheduled Maintenance ,**
- Automatic additional rinse cycle,
- **1 Automatic drain cycle** (with drain pump installed),
- Adjustable drain and rinse times,
- Temperature reading through precise NTC probes,
- **Wash and rinse impellers in stainless steel ,**
- **Double detergent and rinse aid dispenser installed as standard ,**
- **Tank capacity lt.24 ,**
- Tank resistance Kw.2,6,
- Boiler capacity lt.7,3,
- Boiler resistance Kw.2,5,
- Washing pump of Kw 0.52 (0.7 Hp),
- Recommended water hardness 7÷10 °f,
- Water consumption per cycle at 2 bar: 2.0 litres.

Supplied:

- 1 basket for glasses dim.mm.500x500x100h.
- 1 basket of 18 plates dim.mm.500x500x100.
- 2 cutlery containers.

Accessories/Options:

- **17516** - 0.5 Hp pressure pump installed
- **21116** - 32W installed drain pump.
- **23138** - 0.5 Hp pressure pump kit.
- **22440** - 32W drain pump.
- **18698** - Kit of 4 stainless steel adjustable feet 50-70 mm.
- **19584** - Open base support for dishwasher on adjustable feet, dim. mm. 580x565x450h + Feet H120-190 mm
- **23140** - Swing door for dishwasher base support Mod.SPI40
- **V230-3** - Optional 230V/3+T

CE mark
Made in Italy








TECHNICAL CARD	
power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	3,12
gross weight (Kg)	69

breadth (mm) 585

depth (mm) 610

height (mm) 815

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
TCF322-002605 	TECHNOCHEF - Kit 4 adjustable stainless steel feet Kit 4 stainless steel adjustable feet 50-70 mm	Delivery from 4 to 9 days
TCF322-002604 	TECHNOCHEF - 32W drain pump kit 32 W drain pump kit for glass-fronted and dishwasher front loading, post-sale installation	Delivery from 4 to 9 days
TCF322-002602 	TECHNOCHEF - Drain pump installed 32W 32 W installed drain pump for glass-fronted and under-the-counter dishwashers	Delivery from 4 to 9 days
TCF322-002606 	TECHNOCHEF - Swing door for dishwashing base support Swing door for dishwashing base support	Delivery from 4 to 9 days
TCF322-002603 	TECHNOCHEF - Pressure pump kit 0,5 Hp 0.5 Hp rinsing pressure pump kit, after-sales installation, suitable for glass washers, undercounter dishwashers and canopy	Delivery from 4 to 9 days
TCF322-002601 	TECHNOCHEF - Pressure pump installed 0.5 HP Rinsing pressure pump installed 0.5 Hp, suitable for glass washers, undercounter dishwashers and canopies	Delivery from 4 to 9 days
TCF322-002614 	TECHNOCHEF - Open base support with basket-holding guides Open base support with basket guide rails for Undercounter dishwashers, dim.mm.583x524x566h	Delivery from 4 to 9 days

TCF322-002607



Delivery from 4 to 9 days

TECHNOCHEF - Basic dishwasher support

Base day support for dishwasher,
dim.mm.580x565x450h + Feet H120-190 mm.

