



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Trifase
Volts	V 400/3 +N
frequency (Hz)	50
motor power capacity (Kw)	5,92
gross weight (Kg)	69
breadth (mm)	585
depth (mm)	610
height (mm)	815

PROFESSIONAL DESCRIPTION

DISHWASHER-GLASSWASHER with 500x500 mm SQUARE BASKET, max. output 40 baskets/hour, DIGITAL CONTROLS:

- **Bodywork made entirely of AISI 304 steel ,**
- **Digital electronic** controls with display,
- **4 wash cycles of 90/120/150/180 seconds ,**
- **Max useful height: plates 350 mm ,**
- **Useful passage for glasses up to 320 mm high ,**
- **LOWER and UPPER stainless steel washing** impeller diameter 18 mm. with moulded helical jets,
- **LOWER and UPPER stainless steel rinse impellers** with **adjustable rotation speed ,**
- **Detergent Dispenser Electric** washing programmable from display,
- **Electric rinse aid dispenser** programmable from display,
- Stainless steel washing detergent injector welded onto the tank,
- Filter group in tank for suction and discharge,
- Electrical **provision for drain pump ,**
- **Control system via electronic board with simple and extremely efficient Dip-Switch ,**
- **Setting and controlling the washing and rinsing temperatures ,**
- Adjustable Thermostop function that guarantees better results,
- **Display showing temperatures and selected wash cycle ,**
- **Smart Start Button ,**
- **Self-diagnosis system ,**

- The electronic control allows you to manage various parameters to give you a great level of customization based on your needs while the self-diagnosis allows you to minimize machine downtime by already suggesting some simple operations to perform to resolve the situation,
- **Scheduled Maintenance Notice** ,
- Automatic additional rinse cycle,
- **1 Automatic drain cycle** (with drain pump installed),
- **Adjustable drain and rinse times** ,
- Temperature reading via precise NTC probes,
- **Stainless steel washing and rinsing impellers** ,
- **Double detergent and rinse aid dispenser installed as standard** ,
- **Tank capacity 24 lt** .
- Bath resistance Kw.2.6,
- Boiler capacity 7.3 lt.
- Boiler resistance Kw.5.4,
- Washing pump 0.52 kW (0.7 Hp),
- Recommended water hardness 7÷10 °f,
- Water consumption per cycle at 2 bar: 2.0 lt.

Included:

- 1 glass basket dim.mm.500x500x100h.
- 1 basket 18 plates dim.mm.500x500x100.
- 2 cutlery containers.

Accessories/Options:



- **17516** - Installed pressure pump 0.5 Hp
- **21116** - 32W drain pump installed.
- **23138** - 0.5 Hp pressure pump kit.
- **22440** - 32W drain pump.
- **18698** - Kit 4 adjustable stainless steel feet 50-70 mm.
- **19584** - Open base support for dishwasher on adjustable feet, dim. mm. 580x565x450h + Feet H120-190 mm
- **23140** - Hinged door for dishwasher base support Mod.SPI40
- **V230-3** - Optional 230V/3+T

CE mark

Made in ITALY

CODE	DESCRIPTION	PRICE/DELIVERY
TCF322-001500	DISHWASHER square basket mm.500x500, front loading, ELECTRONIC controls, 4 cycles of 90/120/150/180 sec, max height glasses 320 mm/plates 350 mm, with rinse aid and detergent dispenser Tank, V.400/3+N, Kw 5.9, Weight 69 Kg, dim.mm.585x610x815h	Delivery from 8 to 15 days

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
TCF322-002605 	TECHNOCHEF - Kit 4 Adjustable Stainless Steel Feet	Delivery from 4 to 9 days
TCF322-002604 	TECHNOCHEF - 32W Drain Pump Kit	Delivery from 4 to 9 days
TCF322-002606	TECHNOCHEF - Hinged door for dishwasher base support	Delivery from 4 to 9 days



TCF322-002602

TECHNOCHEF - Drain pump installed 32W

Delivery from 4 to 9 days



TCF322-002603

TECHNOCHEF - Pressure pump kit 0.5 Hp

Delivery from 4 to 9 days



TCF322-002614

TECHNOCHEF - Open base support with basket holder guides

Delivery from 4 to 9 days



TCF322-002601

TECHNOCHEF - Installed pressure pump 0.5 HP

Delivery from 4 to 9 days




TCF322-002607

TECHNOCHEF - Dishwasher base stand

Delivery from 4 to 9 days





400V3N+T 5,02kW
L=1900 (5 POLES)



G 3/4\" M
L=1200



Ø25x30
L=1500