

#### TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



MC-3421-10GS  HOT TROLLEY Ventilated for Temperature Maintenance, capacity 10 GN 2/1 TRAYS (mm 650x530), temp. + 65 ° / + 90 ° - SUPPORTS with PRINTED GUIDES, pitch 5.5 mm, HUMIDIFIER, V.230 / 1, Kw. 1.6, dim.mm.720x920x1100h	CODE	DESCRIPTION	PRICE/DELIVERY
	MC-3421-10GS	capacity 10 GN 2/1 TRAYS (mm 650x530), temp. $+$ 65 $^{\circ}$ / $+$ 90 $^{\circ}$ - SUPPORTS with PRINTED GUIDES, pitch 5.5 mm, HUMIDIFIER, V.230 / 1, Kw. 1.6,	<b>Delivery</b> from 8 to 15 days

## PROFESSIONAL DESCRIPTION

## HOT INSULATED TRAY TROLLEY, capacity 10 TRAYS Gastro-Norm 2/1 (mm 650x530):

- $\circ~$  structure made of AISI 304 stainless steel sheet , brushed, insulated finish ;
- $\circ~$  1 front hinged door , opening at 270  $^\circ;$
- removable door gasket;
- o pening handle with snap closure, optional with lock;
- o push handle;
- internal compartment with rounded corners (meets hygienic requirement H1), prepared for 2/1 GN trays and submultiples;
- supports with printed guides, 5.5 mm pitch (built with a single sheet of metal to facilitate cleaning);
- ventilated heating group with fan and heating element;
- integrated control panel, equipped with power switch with pilot light, **digital thermostat-thermometer** , on the back spiraled power cable;
- $\circ~$  operating temperature: + 65  $^{\circ}$  / + 90  $^{\circ}$  C ;
- $\circ \ \ \textbf{possibility of humidifying the internal compartment} \ \text{through a special tray with water}; \\$
- $\circ\;$  perimeter bumpers in gray non-marking rubber;
- $\circ~$  swiveling wheels ø 12.5 cm , two of which with brake , non-marking gray rubber ring.

## Accessories / Optional :

- GN 2/1 stainless steel grid
- $\circ~$  locking handle with lock
- set of 4 elastic wheels, 2 of which with brake

#### CE MARK MADE IN ITALY

TECHNICAL CARD				
power supply	Monofase			
Volts	V 230/1			

frequency (Hz)	5060
motor power capacity (Kw)	1,6
breadth (mm)	720
depth (mm)	920
height (mm)	1100

TECHNICAL (	CA	RD
-------------	----	----

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

## MC-A0171



Technochef - STAINLESS STEEL GRID GN 2/1, Mod.A0171

GN 2/1 stainless steel grid (mm 650x530)

# **Delivery** from 4 to 9 days





**Delivery** from 4 to 9 days

### Technochef - SET 4 ELASTIC WHEELS, 2 with BRAKE

Set of 4 elastic wheels, 2 of which with brake, for uneven floors or outdoors

мс-ма

**Technochef - CLOSING HANDLE with LOCK** Locking handle with lock

**Delivery** from 4 to 9 days



















- Guide stampate Costruite con un unico foglio di lamiera facilitano la pulizia



Vano con angoli arrotondati soddisfano il requisito igienico "H1"