

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



CODE	DESCRIPTION	PRICE/DELIVERY
TD-KIBUKV150VC	REFRIGERATED DISPLAY COUNTER with CURVED GLASS, Temperature +3°/+5°C, 1540 mm LONG, with LIGHTING, REFRIGERATED RESERVE and REFRIGERATING UNIT, V.230/1, Kw.0,663, Weight 150 Kg, dimensions 1540x900x1265h mm	Delivery from 20 to 30 days
PROFESSIONAL DESCRIPTION		

REFRIGERATED DISPLAY COUNTER with CURVED GLASS, KIBUK line, version with REFRIGERATED RESERVE and REFRIGERATING GROUP, length 1540 mm:

- the elegance of the finishes and the design of the structure make the KIBUK refrigerated counter essential both in classic venues and in settings characterized by simple, clean lines;
- with a depth of just 900 mm , it is ideal for placement in narrow environments ;
- curved glass that opens downwards;
- low energy consumption and low environmental impact;
- semi-ventilated refrigeration;
- operating temperature +3°/+5°C;
- display tank made without the use of CFCs;
- o stainless steel worktop;
- o stainless steel display surface;
- thermoformed and insulated shoulders (50 mm thick each) with tempered glass side;
- electronic control panel;
- refrigerated reserve with doors;
- ceiling light with neon lighting;
- ease of installation;
- o manual evaporator-condensate tray, removable;
- o suitable for displaying and storing fresh and pre-packaged products;
- front finish in standard RAL colours: RAL 1018YELLOW, RAL 3020 RED, RAL 5013 BLUE, RAL 6026 GREEN, RAL 9005 BLACK, RAL 1028 YELLOW, RAL 5024 BLUE, RAL 6019 GREEN, RAL 9010 WHITE (to be specified when ordering) ..
- color of the SHOULDERS of the standard bench: BLACK, WHITE (to be specified when ordering).

TECHNICAL DATA:

- o Length including shoulders (thickness 50 mm each) 1540 mm
- Total absorbed power (standard equipment) built-in group W 663
- Power absorbed by lighting (standard equipment) N°/W 1x36
- o Display surface 0.83 m²
- Reserve volume in liters 249
- Number of doors (opening thickness 240x440 mm) n° 2

OPTIONAL / ACCESSORIES :

- MDF front finish available in the colours: DARK BROWN, WHITE, BLACK;
- Intermediate shelf in tempered glass with supports
- Rear sliding plexiglass closures
- Nylon cutting board
- o Stainless steel scale support
- Movable glass divider
- Wheel set
- o Stainless steel paper holder
- Knife holder
- Packed in a wooden cage (glasses removed).

CE MARK

MADE IN ITALY

TECHNICAL CARD		
power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	0,663	
gross weight (Kg)	150	
breadth (mm)	1540	
depth (mm)	900	
height (mm)	1265	
TECHNICAL CARD		

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

TD-GABBIA-150SM



Wooden cage Removable glassesDisassembled glass wooden cage, dimensions 1620x1000x1120h mm.

TD-DIVISMOBBS80



Mobile glass partition Movable glass partition, height 215 mm

Delivery from 4 to 9 days

Delivery from 4 to 9 days

TD-MENK150



Intermediate shelfIntermediate shelf in tempered glass with supports 150 cm

Delivery from 4 to 9 days

TD-SCORRK150



Rear sliding doors in plexiglass Rear sliding closures in plexiglass 150 cm

Delivery from 4 to 9 days







