



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TD-KIBUKV150VD	REFRIGERATED DISPLAY COUNTER with STRAIGHT GLASS, Temperature +3°/+5°C, 1540 mm LONG, with LIGHTING, REFRIGERATED RESERVE and REFRIGERATING UNIT, V.230/1, Kw.0,663, Weight 150 Kg, dimensions 1540x900x1245h mm	Delivery from 20 to 30 days

PROFESSIONAL DESCRIPTION

REFRIGERATED DISPLAY COUNTER with STRAIGHT GLASS, KIBUK line, version with REFRIGERATED RESERVE and REFRIGERATING GROUP, length 1540 mm :

- **the elegance of the finishes** and the **design** of the structure make the **KIBUK refrigerated counter essential** both in classic venues and in settings characterized by simple, clean lines;
- with a **depth of just 900 mm**, it is ideal for **placement in narrow environments** ;
- **curved glass that opens downwards** ;
- **low energy consumption** and **low environmental impact** ;
- **semi-ventilated refrigeration** ;
- operating temperature **+3°/+5°C** ;
- **display tank** made without the use of CFCs;
- **stainless steel worktop** ;
- **stainless steel display surface** ;
- **thermoformed** and **insulated** shoulders (50 mm thick each) with **tempered glass side** ;
- **electronic control panel** ;
- **refrigerated reserve with doors** ;
- **ceiling light** with **neon lighting** ;
- ease of installation;
- manual evaporator-condensate tray, removable;
- suitable for displaying and storing fresh and pre-packaged products;
-
- **front finish in standard RAL colours** : RAL 1018 YELLOW, RAL 3020 RED, RAL 5013 BLUE, RAL 6026 GREEN, RAL 9005 BLACK, RAL 1028 YELLOW, RAL 5024 BLUE, RAL 6019 GREEN, RAL 9010 WHITE (to be specified when ordering).
- **color of the SUPPORTS of the bench: BLACK** (standard) , **WHITE** (to be specified when ordering).

TECHNICAL DATA :

- Length including shoulders (thickness 50 mm each) 1540 mm
- Total absorbed power (standard equipment) built-in group W 663
- Power absorbed by lighting (standard equipment) N°/W 1x36
- Display surface 0.83 m²
- Reserve volume in liters 249
- Number of doors (opening thickness 240x440 mm) n° 2

OPTIONAL / ACCESSORIES :

- MDF front finish available in the colours: DARK BROWN, WHITE, BLACK
- Intermediate shelf in tempered glass with supports
- Rear sliding plexiglass closures
- Nylon cutting board
- Stainless steel scale support
- Movable glass divider
- Wheel set
- Stainless steel paper holder
- Knife holder
- Packed in a wooden cage (glasses removed).

CE MARK


MADE IN ITALY

TECHNICAL CARD		
	power supply	Monofase
	Volts	V 230/1
	frequency (Hz)	50
	motor power capacity (Kw)	0,663
	gross weight (Kg)	150
	breadth (mm)	1540
	depth (mm)	900
	height (mm)	1245
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY

TD-GABBIA-150SM

Wooden cage Removable glasses
Disassembled glass wooden cage, dimensions
1620x1000x1120h mm.

Delivery from 4 to 9 days

TD-DIVISMOBBS80

Mobile glass partition
Movable glass partition, height 215 mm

Delivery from 4 to 9 days

TD-MENK150VD

Intermediate shelf
Intermediate shelf in tempered glass with supports 150
cm

Delivery from 4 to 9 days

TD-SCORRK150VD

Rear sliding doors in plexiglass
Rear sliding closures in plexiglass 150 cm

Delivery from 4 to 9 days

**• COLORI RAL STANDARD**

Standard Ral colours

FINITURA

FRONT PANEL

1018	3020	5013	6026	9005
1028	2008	5024	6019	9010

NERO / BLACK

BIANCO / WHITE

SPALLE LATERALI STANDARD
STANDARD SIDE WALLS

