



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF091-ARM070	Sanitizing cabinet with ozone generator 1 door, capacity 200 l, V.230/1, Watt 65, dimensions mm 660x600x1000h	Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

SANITIZING NEUTRAL CABINET with OZONE GENERATOR , 1 Door , 200 lt .:

- **Wardrobe to SANITIZE fruit, vegetables, kitchen utensils, work utensils, office objects, clothes, shoes, personal linen, bedroom linen, objects in general ;**
- **Operation with sensor** , when the door is closed the sanitization cycle begins which must be confirmed by the user;
- If confirmed, an orange led lights up and remains on for the entire duration of the cycle, including the ozone degradation time;
- The green LED on indicates that the system is powered;
- **The program is pre-set fixed in three phases :**
 - **Ozone creation phase** (3 min.);
 - **Reaction phase Ozone** (15 Min.);
 - **Ozone decay phase** (30 Min.*) (*Time may vary depending on: products, contamination, humidity, quantity)
- **If the door is opened during sanitization, the cycle stops immediately** . The closure is hermetically guaranteed by a perimeter gasket;
- If it is used more than once a day, especially in narrow and non-ventilated environments, on request as an optional, the cabinet can be set up with an aspirator that lets the gases escape to a centralized filtering system, otherwise opt for the installation of an internal recirculation catalyst system;
- The wardrobe should never be opened until the cycle has finished,
- **The SANITIZING cabinet also boasts the following features :**
 - **high technology ozone generator** ,
 - **shell entirely insulated in polyurethane thickness from 40 to 50 mm** ,
 - **automatic door closure with magnetic gasket** to ensure that the internal compartment is airtight, a necessary condition for safety,
 - **possibility of removing odors and sanitizing** ;
- **Product that could be included in the TAX CREDIT (DL 23/2020) defined as 50% of the Sanitation costs up to a maximum of 20,000 euros** (pending officialisation);
- The wardrobes are not supplied with a plug;
- **On request possibility of external coloring White or Black - Optional** .

TECHNICAL DATA :

- Capacity 200 litres
- Grids n.2
- Power consumption 65W
- Dimensions mm (LxPxH) 660x600x1000h

Accessories/Options :

- Activated carbon filter system for intensive use
- Replacement active carbon filter, 6 months duration
- Stainless steel slotted top mm. 470x490
- External black or white color supplement

CE MARK**MADE IN ITALY****TECHNICAL CARD**

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,065
breadth (mm)	660
depth (mm)	600
height (mm)	1000

