



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



forcar

CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-PA1500TNGR7	Refrigerated Table 2 Doors with Granite Top and Neutral Drawer, Professional, Pastry Trays 600x400 mm, capacity 413 litres, temp.+2°/+8°C, Ventilated, ECOLOGICAL in Class B, Gas R290, V.230/1 , Kw.0.3, Weight 242 Kg, dim.mm.1505x800x870h	Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

2 DOOR REFRIGERATED TABLE with GRANITE TOP and NEUTRAL DRAWER, capacity 413 litres, temperature +2°/+8°C, ECOLOGICAL in Class B:

- **AISI 304 stainless steel structure** ;
- **granite worktop** ;
- **1 neutral drawer above the technical compartment** ;
- **Compartments suitable for inserting grids or pastry/pizza trays** (600x400 mm);
- **ventilated refrigeration** ;
- built-in **refrigeration unit removable** for easy maintenance;
- **opening front panel with key** ;
- **circular flow of the cold air** so as not to directly touch the product;
- electronic temperature control with **digital thermostat** ;
- electric **resistance** around **the door frame** to eliminate condensation;
- **automatic defrost** with electric resistance and **automatic temperature control defrost temperature** ;
- **automatic evaporation of condensation water** ;
- **anti-corrosion** treated evaporator;
- **ECOLOGICAL refrigeration unit with R290 gas** ;
- **energy class B** ;
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;
- **insulation thickness 60 mm** ;
- door with **return spring** ;
- door seal removable without tools;
- bottom with **rounded corners** ;
- height-adjustable feet in **Aisi 304 stainless steel** ;
- **stainless steel backrest** , possibility of leaning against the wall;
- internal dimensions 1052x630x589h mm;
- external dimensions 1505x800x870h mm.

Supplied :

- n.7 pairs of guides per door


Options/Accessories :

- **pair of guides to support** trays (**code FOGUT**);
- **pair of anti-tipping guides** for grill (**code FOGAR**);
- **kit of 4 wheels** with a diameter of 120 mm, two of which with brakes (**code FORU0120**);
- plasticized **grid** (**code FOGRP64**).

NOTE:

*IN THE COMPARTMENT NEAR THE REFRIGERATION UNIT IT IS RECOMMENDED TO INSTALL ONLY THE CHEST OF DRAWERS WITH 2 DRAWERS, **so as not to obstruct the circulation of the cold.***

**CE MARK
MADE IN ASIA**

TECHNICAL CARD		
	power supply	Monofase
	Volts	V 230/1
	frequency (Hz)	50
	motor power capacity (Kw)	0,3
	net weight (Kg)	242
	gross weight (Kg)	271
	breadth (mm)	1505
	depth (mm)	800
	height (mm)	870
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FO-GRP64 	Forcar - Plasticized Grid 600x400 mm plastic coated grid	Delivery from 4 to 9 days

FO-GUT



Forcar - Driving Couple

Pair of trays for trays

Delivery from 4 to 9 days

FO-GAR



Forcar - Pair of anti-tilt guides

Pair of anti-tilt guides for grill

Delivery from 4 to 9 days

FO-RUO120



Forcar - 4 wheels kit, 2 with brake

4 wheels kit with 120 mm diameter, 2 of which with brake.

Delivery from 4 to 9 days



Cassetto neutro
sopra vano tecnico

TECHNOCHEF.IT



**ENERG**
енергия · ενεργεια

Y IJA

IE IA

FORCAR **G-PA1500TNGR**
REFRIGERATION **7**

A+++

A++

A+

A

B

C

D

E

F

G

B

ENERGIA · ΕΝΕΡΓΙΑ · ENERGIA

ENERGIA · ENERGY · ENERGIE


ENERGI

642

kWh/annum



268 L



- L



5

40°C-40%

2015/1094-IV