

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 3 DOORS, with DEEP SHOWCASE 330 or 380 mm, temp. + 2 $^\circ$ / + 8 $^\circ$, Static, ECOLOGICAL in Class C $_{\odot}$

• structure in AISI 304 stainless steel;

- granite top with backsplash on 3 sides ;
- bottom with rounded corners;
- back in stainless steel;
- possibility of leaning against the wall;
- capacity It . 368;
- incorporated unit removable for easy maintenance;
- electronic temperature control with digital thermostat;
- electrical resistance around the door frame to eliminate condensation;
- Static refrigeration ;
- automatic evaporation of condensation water,
- defrost at standstill;
- max ambient temperature / humidity: + 32 ° C / 55% HR;
- insulation thickness 50 mm ;
- ECOLOGICAL refrigerant GAS R600a ;
- Energy CLASS C ;
- door with return spring;
- door gasket removable without tools,
- height-adjustable feet in AISI 304 stainless steel.
- Equipped with horizontal refrigerated SHOWCASE complete with glass and refrigeration unit, capable of containing :
- $\circ~$ 6 GN 1/4 containers (265x162 mm), with max height 150 mm for the mod. FO-G-S903PZ33 ,
- 4 GN 1/3 containers (325x175 mm) + 1 GN 1/2 container (325x265 mm), with max height 150 mm for the model FO-G-S903PZ38 .

Supplied :

- 3 GN 1/1 grids (530x325 mm)
- 3 pairs of guides

NB: BASINS NOT INCLUDED

CE MARK MADE IN ASIA

	TECHNICA	L CARD	
power supply		Monofase	
Volts		/ 230/1	
freque	ncy (Hz)	50	
bread	ith (mm)	1400	
dep	th (mm)	700	
heig	ht (mm)	1465	
	AVAILABLE	MODELS	
380 mm c REFRIGER/ refrigerate 1/3 contair 325x265), C, Gas R60	REFRIGERATED PIZZA COUNTER 3 DOORS, with 380 mm deep refrigerated display case REFRIGERATED PIZZA COUNTER 3 DOORS, with refrigerated display case 380 mm deep, capacity 4 GN 1/3 containers (mm 325x175) + 1 GN 1/2 (mm 325x265), temp.+2°/+8°C, Static, ECOLOGICAL in Class C, Gas R600a, V.230/1, Kw.0.235, dim.mm.1400x700x1465h		Delivery from 8 to 15 days
refrigerate REFRIGER/ refrigerate 1/4 pans (2 ECOLOGIC	t ed display ATED PIZZA d display cas 265x162 mm AL in Class C	A COUNTER 3 DOORS, with case 330 mm deep COUNTER3 DOORS, with e 330 mm deep, capacity 6 GN n), temp. $+ 2 \circ / + 8 \circ C$, Static, C, Gas R600a, V.230 / 1 , 0x700x1465h	Delivery from 8 to 15 days



forcar

