



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 2 DOORS + 6-DRAWER DRAWER for pizza dough, with DEEP SHOWCASE 330 or 380 mm, temp. + 2 ° / + 8 °, Static, ECOLOGICAL in Class C :

- **structure in AISI 304 stainless steel ;**
- **granite top with backsplash on 3 sides ;**
- **chest of drawers with 6 drawers** for pizza dough containers;
- bottom with rounded corners;
- **back in stainless steel ;**
- possibility of leaning against the wall;
- **capacity lt . 257;**
- **incorporated unit removable** for easy maintenance;
- **electronic temperature control** with digital thermostat;
- electrical resistance around the door frame to eliminate condensation;
- **Static refrigeration ;**
- **automatic evaporation** of condensation water,
- defrost at standstill;
- max ambient temperature / humidity: + 32 ° C / 55% HR;
- **insulation thickness 45 mm ;**
- **ECOLOGICAL refrigerant GAS R600a ;**
- **Energy CLASS C ;**
- door with return spring;
- door gasket removable without tools,
- height-adjustable **feet in AISI 304 stainless steel .**

Equipped with **horizontal refrigerated SHOWCASE** complete with glass and refrigeration unit, **capable of containing :**

- **6 GN 1/4 containers** (265x162 mm), with max height 150 mm for the mod. **FO-G-S903PZCAS33 ,**
- **4 GN 1/3 containers** (325x175 mm) + **1 GN 1/2 container** (325x265 mm), with max height 150 mm for the **model FO-G-S903PZCAS38 .**

Included :

- 2 GN 1/1 grids (530x325 mm)
- 2 pairs of guides

NB: BASINS NOT INCLUDED

**CE MARK
MADE IN ASIA**

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
breadth (mm)	1400
depth (mm)	700
height (mm)	1465

AVAILABLE MODELS

FO-G-S903PZCAS33



Pizza counter INOX 304, 2 DOORS + DRAWER with refrigerated display case 330 mm deep

PIZZA COUNTER Inox 304, REFRIGERATED 2 DOORS + DRAWER with refrigerated display case 33 cm deep, cap. 6 GN 1/4 containers (265x162 mm), temp. + 2 ° / + 8 ° C, Static, ECOLOGICAL in Class C, Gas R600a, V.230 / 1, Kw.0.155, dim.mm.1400x700x1465h

Delivery from 8 to 15 days

FO-G-S903PZCAS38




Pizza counter INOX 304, 2 DOORS + DRAWER with refrigerated display case 380 mm deep

PIZZA COUNTER Inox 304 REFRIGERATED 2 DOORS + DRAWER with refrigerated display case 38 cm deep, cap. 4 GN 1/3 containers (325x175 mm) + 1 GN 1/2 (325x265 mm), temp. + 2 ° / + 8 ° C, Static, in Class C, Gas R600a, V.230 / 1, Kw.0.155 , dim.mm.1400x700x1465h

Delivery from 8 to 15 days



mod.FO-G-S903PZCAS33 capacità 6 bacinelle GN 1/4



mod.FO-G-S903PZCAS38 capacità 4 bacinelle GN 1/3 + 1 GN 1/2



forcar

