



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



FORCOLD

CODE	DESCRIPTION	PRICE/DELIVERY
FC-G-S903PZCAS-FC	REFRIGERATED PIZZA COUNTER 2 doors + Chest of 6 drawers, granite top with splashback on 3 sides, Ventilated Temp.+2°/+8°C, ECOLOGICAL in Class E, Gas R600a, V.230/1, Kw.0.235, Weight 198 Kg, dim.mm.1420x700x1020h	Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

REFRIGERATED PIZZA COUNTER 2 DOORS + 6 DRAWER CHEST, Temp.+2°/+8° , Static, ECOLOGICAL in Class E :

- **AISI 201 stainless steel structure;**
- **granite top** with **splashback on 3 sides** ;
- Operating temperature.+2°/+8°
- **6-drawer chest of drawers** for pizza dough containers;
- **gross capacity lt. 257** ;
- **built-in extractable group** for easy maintenance;
- **electronic temperature control** with digital thermostat;
- electric resistance around the door frame to eliminate condensation;
- Circular flow of the cold air so as not to directly touch the product;
- **Automatic defrost** with electric resistance and **automatic control of the defrost temperature** ;
- **Ventilated refrigeration** ;
- **automatic evaporation** of condensation water;
- max temperature: +35°C
- ambient humidity: 50%HR;
- **insulation thickness 45 mm** ;
- **Energy Consumption Class E;**
- **ECOLOGICAL refrigerant gas R600a** ;
- door with return spring;
- door seal removable without tools,
- bottom with rounded corners;
- Height-adjustable **feet in Aisi 201 stainless steel** .
- possibility of leaning against the wall;
- stainless steel backrest;

Supplied :

- 3 GN 1/1 grids (mm 530x325)
- 6 pairs of guides
- 6 drawers

CE MARK
MADE IN ASIA

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,235
net weight (Kg)	198
gross weight (Kg)	223
breadth (mm)	1420
depth (mm)	700
height (mm)	1020

