



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

MIXER with 25 Kg FIXED HOOK spiral for LOW HYDRATION DOUGH,

- **ideal machine for low hydration doughs or fatty doughs** (such as **breadsticks, taralli, wraps, focaccias, pan pizzas or egg doughs**);
- structure covered with scratch-resistant paint;
- **bowl, utensil and grilled lid in AISI 304 stainless steel** ;
- **32 lt bowl** , diameter mm.400x260h;
- **Easily removable HOOK spiral**
- mixing capacity per cycle 25 kg;
- **Bowl speed 23 rpm** ;
- **using the innovative hook tool , it does not alter the temperature of the dough**, improving its oxygenation,
- **the processing times of the dough are halved** compared to a traditional mixer with dipping arms, fork or spiral;
- **Optional: 2nd speed only on three-phase model .**

Accessories/Options :

- 2nd speed: 23-46 rpm - Kw.0.75/1.1 - only on three-phase model
- mechanical timer
- wheels

CE MARK

Made in Italy

TECHNICAL CARD

power supply	Monofase/Trifase
net weight (Kg)	62
gross weight (Kg)	72
breadth (mm)	470
depth (mm)	625
height (mm)	805

AVAILABLE MODELS

FM-BERTA25/T



Delivery from 4 to 9 days

Fimar BERTA - 25 Kg hook spiral mixer for low hydration doughs, three-phase, V.400/3

Mixer with 25 Kg HOOK spiral for low hydration doughs, 32 lt bowl, Bowl speed 23 rpm, V.400/3, Kw.0,75, Weight 62 Kg, dim.mm.470x625x805h

FM-BERTA25/M



Delivery from 4 to 9 days

Fimar BERTA - 25 Kg HOOK spiral mixer for low hydration doughs, Single-phase, V.230/1

Mixer with 25 Kg HOOK spiral for low hydration doughs, 32 lt bowl, Bowl speed 23 rpm, V.230/1, Kw.0,9, Weight 62 Kg, dim.mm.470x625x805h

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FM-KRT 	Fimar - Wheels Kit Wheel kit	Delivery from 4 to 9 days
FM-TMM 	Fimar - Mechanical Timer Mechanical timer	Delivery from 4 to 9 days
FM-2NDSPEED 	Fimar - 2nd Speed 2nd speed only on three-phase model	Delivery from 4 to 9 days

