

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



CODE	DESCRIPTION	PRICE/DELIVERY
AK-AKS4104TN	4 DOORS Refrigerated Counter Table, Professional, SNACK Line, Temp2°/+8°C, capacity 449 litres, ventilated refrigeration, ECOLOGICAL in Class D, Gas R290, V.230/1, Kw.0,345, Weight 131 Kg , dim.mm.2230x600x850h	Delivery from 4 to 9 days
PROFESSIONAL DESCRIPTION		

REFRIGERATED TABLE with 4 DOORS, SNACK Line, capacity 449 litres, Temp.-2°C /+8°C, ECOLOGICAL in Class D:

- o Internal and external structure entirely in stainless steel;
- $\circ\:$ Ventilated refrigeration with anti-corrosion treated fin evaporator ;
- Cold air recirculation;
- Removable built-in cooling unit;
- digital control unit;
- o Internal capacity lt.449;
- Temperature -2°/+8°C;
- Electric resistance inserted in the frame of the doors for the elimination of the condensation;
- Automatic evaporation of condensed water;
- Insulation thickness 60 mm :
- R290 ECOLOGICAL refrigerant gas;
- Temp. / Humidity Max: +40 °C / 60% HR;
- Easily removable magnetic seals;
- Cell with rounded corners;
- Technical compartment closed with key;
- External bottom and rear panels in stainless steel;
- Adjustable feet in stainless steel;
- Internal dimensions mm 1772x430x589h.

Included:

o n.4 grids 330x430 mm

CE MARK Made in China

TECHNICAL CARD		
power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	0,345	
net weight (Kg)	131	
gross weight (Kg)	151	
breadth (mm)	2230	
depth (mm)	600	
height (mm)	850	
TECHNICAL CARD		

DESCRIPTION

CODE/PICTURES AK-SHE34



Delivery from 4 to 9 days

PRICE/DELIVERY

Plasticized grid 330x430 mm Plastic coated grid of 330x430 mm

AK-GDS34



Pair of stainless steel guides
Pair of stainless steel guides

Delivery from 4 to 9 days

AK-RBA6



6 Wheels Kit (3 with brake) 6 wheels kit, 3 of which with brake, for 4-door models.