

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



FO-G-ER200 1 Door Refrigerator Cabinet, Professional, external structure in white sheet metal, internal in ABS, lt.130, temp.+2°/+8°C, ECOLOGICAL in CLASS A, Gas R600a, Static with internal fan, V.230/1, Kw.0,1, Weight 45 Kg, dim mm 600x585x855h	CODE	DESCRIPTION	PRICE/DELIVERY
	FO-G-ER200	structure in white sheet metal, internal in ABS, lt.130, temp.+2°/+8°C, ECOLOGICAL in CLASS A, Gas R600a,	Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

1-door FRIDGE CABINET, capacity 130 litres, temperature +2°/+8°C, ECOLOGICAL in Class A:

- External structure in white epoxy painted sheet metal, Internal in ABS;
- Static refrigeration with internal fan to uniform the temperature;
- External bottom and rear panels in galvanized sheet metal;
- ECOLOGICAL GAS R600a Refrigerating Group;
- Thermostatic temperature control;
- Automatic evaporation of condensation water;
- Type of defrost on hold;
- Maximum ambient temperature : +32°C;
- Maximum ambient humidity: 55%HR;
- Insulation thickness 40 mm;
- Possibility of **door reversal**;
- · Lock with Key;
- $\small \bullet \ \ \, \textbf{Internal dimensions} : 510x485x620h. \\$

Supplied:

- o n.2 grids 500x415 mm
- o n.1 grid 500x211 mm

Options/Accessories :

- small plasticized grill measuring 511x211 mm Code FO-GRP200
- $\circ~$ large plasticized grid measuring 500x415 mm Code FO-GRP400

CE mark Made in ASIA

TECHNICAL CARD				
power su	pply Monofase			
V	olts V 230/1			
frequency	(Hz) 50			
motor power capacity (Kw) 0,1			
net weight	(Kg) 45			
gross weight	(Kg) 56			
breadth (nm) 600			
depth (nm) 585			
height (ı	nm) 855			
TECHNICAL CARD				
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY		
Cabinets Ran	FORCAR - Optional for Semi-professional Fridge Cabinets Range Small plasticized grid mm.500x211			
Range SEMI-F	tional for Refrigerated Cabinets ROFESSIONAL Line d grid mm.500x415	Delivery from 4 to 9 days		



