



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF375-000500	Professional Refrigerator Cabinet 2 Doors, Temp. -2°/+8 C°, capacity lt.1400, Ecological version with ENERGY SAVING, CLASS B - Inox 304, ventilated, V.230/1, Kw.0,63, dim. mm.1480x815x2085h.	
PROFESSIONAL DESCRIPTION		

2-door REFRIGERATOR CABINET, ECOLOGICAL ENERGY SAVING version - CLASS B, HIGH THICKNESS cabinet, capacity 1400 litres, operating temperature -2°/+8° C :

- **external/internal** in **AISI 304** stainless steel,
- **ventilated refrigeration** ,
- **insulation thickness 75 mm** ,
- **rounded** internal **corners** ,
- adjustable feet in stainless steel,
- **reversible door** with stop at 105°,
- **full-height profiled door handle in stainless steel** ,
- replaceable magnetic seal,
- Door **lock** with key,
- **3 pairs of stainless steel** runners and **3 rilsan GN2/1 grids** per door,
- **cataphoresis treated evaporator** ,
- **removable stainless steel evaporator cover**
- totally replaceable refrigeration system, running on ecological **natural gas R290** , which ensures **Energy Savings that reach peaks of 80%** compared to similar products ... not very Virtuosi,
- **automatic defrost**,
- automatic evaporation of condensate,
- **electronic thermostat** ,

Electronic control unit with:

- keyboard cover,
- high temperature alarm,
- open door alarm,
- maximum temperature storage.

ACCESSORIES-OPTIONAL

- Interior lighting
- Kit of 4 swivel wheels (2 with brake), diameter 128 mm
- Door opening kit with pedal



CE mark

Made in Italy


TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,63
net weight (Kg)	205
gross weight (Kg)	240
breadth (mm)	1480
depth (mm)	815
height (mm)	2085

TECHNICAL CARD


CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
TCF375-000504 	Couple of type C guides Pair of guides type C 605 mm for 2/1 GN grids (650x530 mm)	
TCF375-000506 	GN 2/1 plastic coated grid GN 2/1 plasticized grid (mm 650x530)	

TCF375-000503



Led lighting
1 door led lighting

TCF375-000505




GN2 / 1 stainless steel grid
GN 2/1 stainless steel grid (650x530 mm)

TCF375-000501



Door opening kit with pedal
Door opening kit with pedal

TCF375-000502



Kit of 4 pivoting stainless steel wheels with brake
Kit of 4 pivoting stainless steel wheels with brake, h 128 mm.

